INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

VOL. II

PART 19

1959

(Note. The date of publication of Sydowia, Beih. 1 (Petrak-Festschrift), was 26 June 1957. The new fungus names therein published were included in this Index, 2, Pt. 16 (pp. 365-406).)

Absidia merdaria Boedijn in Sydowia, 12 (1958), p. 334, 1959 on rabbit dung.—Java.

- spinosa Lendner var. azygospora Boedijn in Sydowia, 12 (1958), p. 334, 1959 from soil in coffee garden.—Java.

Acaulopage aristata F. R. Jones in Trans. Brit. mycol. Soc., 42, p. 76, 1959 from soil.-

Kenya.

retusa F. R. Jones in *Trans. Brit. mycol. Soc.*, **42**, p. 79, 1959 from soil.—Kenya.

-tetraceros Drechsler var. longa F. R. Jones & Peach in Trans. Brit. mycol. Soc., 42, p. 95,

1959 in stagnant water.—England.
Acetabula leucomelas Pers. var. semi-hypogaea Wichanský in Čes. Mykol., 13, p. 24, 1959 under Pinus sylvestris and Picea excelsa.—Czechoslovakia.

Achroomyces disciformis (Fr.) Donk in Taxon, 7, p. 164, 1958. (Syn. Tremella disciformis Fr.).

Acladium aterrimum (Ehrenb.) Hughes in Canad. J. Bot., 36, p. 731, 1958. (Syn. Racodium aterrimum Ehrenb., 1818, pre-starting point).

dubium (Pers.) Hughes in Canad. J. Bot., 36, p. 731, 1958. (Syn. Trichoderma dubium

Pers., 1801, pre-starting point).

- simile (Berk.) Hughes in Canad. J. Bot., 36, p. 732, 1958. (Syn. Oidium simile Berk.). - sphaerosporum (Ces.) Hughes in Canad. J. Bot., 36, p. 732, 1958. (Syn. Noduli-

sporium sphaerosporum Ces.).

Acrotheca campiniae Rambelli in R.C. Accad. Bologna (Fis.), Ser. XI, 4, p. 199, 1957 on rotten wood of Abies alba .- Italy.

cerophila Tubaki in J. Hattori bot. Lab., 20, p. 143, 1958 on Sasa.—Japan.

-humilis Rambelli in R.C. Accad. Bologna (Fis.), Ser. XI, 5, p. 11 [of separate], 1958 on withered fruit of Fagus sylvatica.—Italy.

Acrothecium globosum Rambelli in R.C. Accad. Bologna (Fis.), Ser. XI, 5, p. 9 [of separate], 1958 on dead wood of Abies alba.—

Actinomucor corymbosus (Harz) Naumov forma palaestinus Rayss [as 'palaestina'], 1945 (this Index, 1, p. 161), without Latin diagnosis. Latin diagnosis apud Rayss & Borut in Mycopathologia, 10, 2, p. 143, 1958. Aecidium andicola Jørstad in Ark. Bot.,

Ser. 2, 4, 5, p. 88, 1959 on Ribes andicola .-

Ecuador.

-seguelae Viennot-Bourgin nom. nov. in Uredineana, 5, p. 170, 1958. (Syn. Aecidium triumfettae Viennot-Bourgin, 1955 [this Index, 2, pp. 229 and 257], non P. Henn., 1896). On Triumfetta.

- travancoricum Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 49, p. 126, 1959 on leaves of Coffea travancorensis .- South India.
- urenae Viennot-Bourgin in Bull. Soc. mycol. Fr., 75, p. 34, 1959 on leaves of Urena lobata.—Guinea.
- Allosoma quercifoliae [sic] Batista Nascimento in Broteria, N.S., 27, p. 167, 1958 on Quercus laurifolia.—Florida, U.S.A.

Alternaria eryngii (Pers.) Hughes & Simmons apud Hughes in Canad. J. Bot., 36, p. 735, 1958. (Syn. Conoplea eryngii Pers.).

- sesami (Kawamura) Mohanty & Behera in Curr. Sci., 27, p. 493, 1958. (Syn. Macrosporium sesami Kawamura).

Amanita argentea Huijsman in Bull. Soc. mycol. Fr., 75, p. 24, 1959.—France. — citrina S. F. Gray forma grisea Hongo in

J. Jap. Bot., 33, p. 346, 1958 in pine woods.— Japan.

lutescens Hongo in J. Jap. Bot., 33, p. 347, 1958 under frondose trees.—Japan.

Amblyosporium spongiosum (Pers.) Hughes in Canad. J. Bot., 36, p. 735, 1958. (Syn. Monilia spongiosa Pers.).

Amphichaeta rosicola H. C. Greene in Trans. Wis. Acad. Sci. Arts Lett., 47 (1958),
 p. 127, 1959 on leaves of Rosa heliophila.—
 Wisconsin, U.S.A.

Amphisphaeria bou-korninei Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 69, 1958 on dead rhizomes of Brachypodium ramosum. -Tunisia.

chambii Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 70, 1958 on rotten leaf-sheaths of Gramineae.—Tunisia.

AMYLOCORTICIUM Pouzar in Čes. Mykol., 13, p. 11, 1959.—Corticiaceae [Thelephoraceae]. Sp. typ.: Peniophora subsulphurea (Karst.) Höhnel & Litsch.

- cebennense (Bourd.) Pouzar in Čes. Mykol. 13, p. 11, 1959. (Syn. Corticium cebennense

Bourd.).

- subincarnatum (Peck) Pouzar in Čes. Mykol., 13, p. 11, 1959. (Syn. Corticium subincarnatum Peck).

- subsulphureum (Karst.) Pouzar in Čes. Mykol., 13, p. 11, 1959. (Syn. Corticium subsulphureum Karst.).

AMYLOSTEREUM Boidin in Rev. Mycol.,

Paris, N.S., 23, p. 345, 1958.—Thelephoraceae. Sp. typ.: A. chailletii.

— areolatum (Fr.) Boidin in Rev. Mycol., Paris, N.S., 23, p. 345, 1958. (Syn. Thelephora areolata Fr.).

-chailletii (Pers. ex Fr.) Boidin in Rev.

Mycol., Paris, N.S., 23, p. 345, 1958. (Syn. Thelephora chailletii Pers. ex Fr.).

[Amylostereum] laevigatum (Fr.) Boidin in Rev. Mycol., Paris, N.S., 23, p. 345, 1958.

(Syn. Thelephora laevigata Fr.).

Antennospora quadricornuta (A. B. & J. W. Cribb) T. W. Johnson Jr in J. Elisha Mitchell sci. Soc., 74, p. 46, 1958. (Syn. Halosphaeria quadricornuta A. B. & J. W. Cribb).

Antennularia ericophila (Link) Hughes in Canad. J. Bot., 36, p. 736, 1958. (Syn. [not validly published] 'Sphaeria ericophila

Anthostomella xylostei (Pers. ex Fr.) Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 72, 1958. (Syn. Sphaeria xylostei Pers. ex Fr.).

Aphelaria funalis (P. Henn.) Reid in Kew Bull., 1958, p. 529, 1959. (Syn. Cladoderris

funalis P. Henn.).

Apiocarpella agropyri Sprague apud H. C. Greene in Amer. Midl. Nat., 44, 3, p. 639, 1951 on leaves of Agropyron repens.—Wisconsin, U.S.A.

Apioporthe macrospora Gilman, Tiffany & Lewis in Iowa St. Coll. J. Sci., 33, 3, p. 334, 1959 on dead branches of Quercus alba. Iowa, U.S.A.

Arachniotus indicus Chattopadhyay & Das Gupta in Trans. Brit. mycol. Soc., 42, p. 1959 from soil of paddy fields.—West

Bengal, India.

var. major Chattopadhyay & Das Gupta in Trans. Brit. mycol. Soc., 42, p. 73, 1959 from soil of paddy fields.—West Bengal, India.

Arcyria assamica Agnihothrudu in J. Indianbot. Soc., 37, p. 501, 1958.—Assam, India.

- corymbosa Farr & G. W. Martin in *Broteria*, N.S., **27**, p. 154, 1958.—Brazil.

Arnaudiella genistae (Fuckel) E. Müller in Sydowia, 12 (1958), p. 201, 1959. (Syn. Didymosphaeria genistae Fuckel).

-ribis E. Müller in Sydowia, 12 (1958), p. 201, 1959 on branches of Ribes petraeum.

Switzerland.

Arthrobotrys stilbacea J. A. Meyer in Bull. Soc. mycol. Fr., 74, p. 246, 1958 on leaf rachis of Palmae.—Belgian Congo.

Arthrosporium candidum (Schw.) Hughes in Canad. J. Bot., 36, p. 737, 1958. (Syn.

Isaria candida Schw.).

Articulospora angulata Tubaki in Bull. nat. Sci. Mus. Tokyo, N.S., 3, p. 252, 1957 on submerged leaf of Alnus firma.—Japan.

Aschochyta equiseti (Desm.) H. C. Greene in Amer. Midl. Nat., 44, 3, p. 639, 1951. (Syn. Phoma equiseti Desm.). [Combination already made by Grove in J. Bot., 56, p. 315, 1918.]

- madisonensis H. C. Greene in Trans. Wis. Acad. Sci. Arts Lett., 47 (1958), p. 114, 1959 on leaves of Mertensia virginica.—

Wisconsin, U.S.A.

*Ascophanus velenovskyi Svrček in Čes. Mykol., 13, p. 95, 1959 as 'nom. n. Basonym: Ascophanus lacteus' (Cooke & Phillips) Phillips 'sensu Velenovský, Mon. Disc. p. 359, 1934—non Cooke & Phillips'.—

Czechoslovakia. [Non Ascophanus velenov-skyi Kanouse, 1947 (this Index, 1, p. 225).] Ascotricha amphitricha (Corda) Hughes [as 'amphitrichum'] in Canad. J. Bot., 36, p. 737, 1958. (Syn. Chaetomium amphi-

trichum Corda).

Asteridiella astilbincola Petrak in Sydowia,

12 (1958), p. 431, 1959 on leaves of Astilbe philippinensis.—Philippine Islands.

poracensis Petrak in Sydowia, 12 (1958), p. 433, 1959 on Acanthaceae.—Philippine Islands.

- tarlacensis Petrak in Sydowia, 12 (1958), p. 435, 1959 on leaves of Plectronia monstrosa. Philippine Islands.

tetrastigmatis Petrak in Sydowia, (1958), p. 435, 1959 on leaves of Tetrastigma harmandii.—Philippine Islands.

wickstroemiae Petrak in Sydowia, 12 (1958), p. 437, 1959 on leaves of 'Wick-stroemia' [Wikstroemia] meyeniana.—Philippine Islands.

Asterina antidesmatis Petrak in Sydowia, 12 (1958), p. 472, 1959 on leaves of Antidesma pentandrum.—Philippine Islands.

menispermacearum Petrak in Sydowia, 12 (1958), p. 474, 1959 on leaves of Menispermaceae.—Philippine Islands.

pogostemonis Petrak in Sydowia, 12 (1958), p. 476, 1959 on leaves of Pogostemon

velatus.-Philippine Islands.

rizalica Petrak in Sydowia, 12 (1958), p. 478, 1959 on leaves of Salacia.—Philippine Islands.

- tarlacensis Petrak in Sydowia, 12 (1958), p. 479, 1959 on leaves of Celastrus paniculatus.—Philippine Islands.

Asterinella clemensiae Petrak in Sydowia, 12 (1958), p. 480, 1959 on leaves of Meliosma. Philippine Islands.

Asterosporium asterospermum (Pers. ex S. F. Gray) Hughes in Canad. J. Bot., 36, p. 738, 1958. (Syn. Stilbospora asterosperma. Pers. ex S. F. Gray).

Asterostomella alchorneae Petrak Sydowia, 12 (1958), p. 484, 1959 on leaves of Alchornea sicca.—Philippine Islands.

- grewiae Petrak in Sydowia, 12 (1958), p. 485, 1959 on leaves of *Grewia multiflora*.— Philippine Islands.

- maculosa (Sacc.) Hughes in Canad. J. Bot., 36, p. 738, 1958. (Syn. Trichosporum maculosum Sacc.).

-roureae Petrak in Sydowia, 12 (1958), p. 485, 1959 on leaves of Rourea erecta.

Philippine Islands.

Asterostomula sycopsidis Petrak in Sydowia, 12 (1958), p. 486, 1959 on leaves of Sycopsis philippinensis.—Philippine Islands.

Astrosphaeriella applanata (Fr.) Scheinpflug in Ber. schweiz. bot. Ges., 68, p. 370, 1958. (Syn. Sphaeria applanata Fr.).

inaequalis (Fabre) Scheinpflug in Berschweiz. bot. Ges., 68, p. 372, 1958. (Syn. Amphisphaeria inaequalis Fabre).

pinicola (Rehm) Scheinpflug in Ber. schweiz bot. Ges., 68, p. 372, 1958. (Syn. Amphisphaeria pinicola Rehm).

Atopospora taxi (Woron.) E. Müller in Sydowia, 12 (1958), p. 163, 1959. (Syn. Dothidea taxi Woron.).

Aulographum symplocacearum Hino & Katumoto apud Katumoto in Bull. Fac Agric. Yamaguti Univ., 9, p. 909, 1958 or leaves of Dicalyx myrtacea.—Japan.

Bactrodesmium abruptum (Berk. & Br. Mason & Hughes apud Hughes in Canad J. Bot., 36, p. 738, 1958. (Syn. Sporidesmiun abruptum Berk. & Br.). [Combination by Mason & Hughes, 1953 (this Index, 2, p. 183) not validly published.]

[Bactrodesmium] arnaudii Hughes in Canad. J. Bot., 36, p. 738, 1958 on rotten wood of Fraxinus excelsior.—England.

-leptopus (Sacc.) Hughes in Canad. J. Bot., 36, p. 739, 1958. (Syn. Clasterosporium clavaeforme (Preuss) Sacc. var. leptopus Sacc.).

robustum (Cooke & Ell.) Hughes in Canad. J. Bot., 36, p. 739, 1958. (Syn. Arthro-

botryum robustum Cooke & Ell.).

Badhamia lilacina (Fr.). Rost. var. megaspora Nannenga-Bremekamp in Acta bot. neerl., 7, p. 784, 1958.—Netherlands.

asidiobotrys pallida (Berk. & Curt.) Hughes in *Canad. J. Bot.*, **36**, p. 739, 1958. (Syn. *Botrytis pallida* Berk. & Curt.). Basidiobotrys

Belonidium sclerogenum (Berk. & Curt.) Sacc. var. musicola Dennis in Kew Bull., 1958, p. 461, 1959 on Musa sapientum.-Bolivia.

Beltrania multispora Swart in Leeuwenhoek ned. Tijdschr., 24, p. 221, 1958 from sandy

soil.-Mozambique.

Berkleasmium concinnum (Berk.) Hughes in Canad. J. Bot., 36, p. 740, November 1958. (Syn. Sporidesmium concinnum Berk.). Combination also made by R. T. Moore in Mycologia, 50, 5, p. 686, January 1959.

— conglobatum (Cooke & Ell.) R. T. Moore

in Mycologia, 50, 5, p. 687, 1959. (Syn. Sporidesmium conglobatum Cooke & Ell.).

- granulosum (Dur. & Mont.) R. T. Moore in Mycologia, 50, 5, p. 687, 1959. (Syn. Sporidesmium granulosum Dur. & Mont.).

Bispora betulina (Corda) Hughes in Canad. J. Bot., 36, p. 740, 1958. (Syn. Dicoccum

betulinum Corda).

Botryodiplodia lygei-sparti Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 76, 1958 on dry culms of Lygeum spartum.—Tunisia. Botrytis viciae H. C. Greene in Trans. Wis.

Acad. Sci. Arts Lett., 47 (1958), p. 114, 1959 on leaves of Vicia villosa.—Wisconsin, U.S.A.

Brachysporium nigrum (Link) Hughes in Canad. J. Bot., 36, p. 742, 1958. (Syn.

Dactylium nigrum Link).

*Bremia lactucae Regel forma dimorphothecae-aurantiacae Săvulescu & Vánky in Arch. freunde Nat. Mecklenburg, 2 (1955/ 56), p. 360, 1956 on Dimorphotheca aurantiaca.—Rostov, U.S.S.R.

- forma dimorphothecae-pluvialis Săvulescu & Vánky in Arch. Freunde Nat. Mecklenburg, 2 (1955/56), p. 362, 1956 on Dimorphotheca pluvialis.—Rostov, U.S.S.R.

polycalymmatis-stuartii forma Săvulescu & Vánky [as 'polycalymmaestuartii'] in Arch. Freunde Nat. Mecklenburg, 2 (1955/56), p. 362, 1956 on Polycalymma stuartii.—Rostov, U.S.S.R.

Brevilegnia crassa Rossy-Valderrama in J. Elisha Mitchell sci. Soc., 72, p. 130, 1956

from soil.—Puerto Rico.

- irregularis Rossy-Valderrama in J. Elisha Mitchell sci. Soc., 72, p. 133, 1956 from soil.—

Puerto Rico.

- megasperma Harvey var. brevicaulis Rossy-Valderrama in J. Elisha Mitchell sci. Soc., 72, p. 133, 1956 from soil in roadside ditch.-Puerto Rico.
- Cacumisporium capitulatum (Corda) Hughes in Canad. J. Bot., 36, p. 743, 1958. (Syn. Helminthosporium capitulatum Corda).

Candelabrum japonense Tubaki in J. Hattori bot. Lab., 20, p. 149, 1958 on dead bark of Shiia sieboldii.—Japan.

*Candida ghoshii K. K. Mitra in Experientia,

13, p. 357, 1957 in culture.—India.

norvegensis (Dietrichson) Van Uden & Farinha in Portug. acta biol., Ser. B, 6, p. 172, 1958. (Syn. Candida zeylanoides (Castellani) Langeron & Guerra var. norvegensis Dietrichson).

vanriji Capriotti in Arch. Mikrobiol., 30, p.

230, 1958 from soil.—Sweden.

Heinemann Cantharellus alboroseus Bull. Jard. bot. Brux., 28, p. 420, 1958.— Belgian Congo.

croceifolius Heinemann in Bull. Jard. bot. Brux., 28, p. 400, 1958.—Belgian Congo.

cyanoxanthus Heim ex Heinemann in Bull. Jard. bot. Brux., 28, p. 407, 1958: neotype from Belgian Congo. (? = Cantharellus cyanoxanthus Heim, 1936, without Latin diagnosis, described from Madagascar.)

densifolius Heinemann in Bull. Jard. bot. Brux., 28, p. 410, 1958.—Belgian Congo.

floridula Heinemann in Bull. Jard. bot. Brux., 28, p. 419, 1958.—Belgian Congo.

- goossensiae (Beeli) Heinemann in Bull. Jard. bot. Brux., 28, p. 406, 1958. (Syn. Hygrophorus goossensiae Beeli).

incarnatus (Beeli) Heinemann in Bull. Jard. bot. Brux., 28, p. 402, 1958. (Syn. Lentinus incarnatus Beeli).

isabellinus Heinemann in Bull. Jard. bot. Brux., 28, p. 399, 1958.—Belgian Congo. longisporus Heinemann in Bull. Jard. bot.

Brux., 28, p. 409, 1958.—Belgian Congo. -luteopunctatus (Beeli) Heinemann Bull. Jard. bot. Brux., 28, p. 415, 1958. (Syn.

Lentinus luteopunctatus Beeli). miniatescens Heinemann in Bull. Jard. bot. Brux., 28, p. 393, 1958.—Belgian Congo. pseudofriesii Heinemann in Bull. Jard. bot.

Brux., 28, p. 413, 1958.—Belgian Congo. rhodophyllus Heinemann in Bull. Jard.

bot. Brux., 28, p. 404, 1958.—Belgian Congo. rufopunctatus (Beeli) Heinemann in Bull. Jard. bot. Brux., 28, p. 396, 1958. (Syn. Lentinus rufopunctatus Beeli).

var. ochraceus Heinemann in Bull. Jard. bot. Brux., 28, p. 398, 1958.—Belgian Congo.

tenuis Heinemann in Bull. Jard. bot. Brux.,

28, p. 418, 1958.—Belgian Congo.

Caryospora striata (Niessl) Scheinpflug in Ber. schweiz. bot. Ges., 68, p. 368, 1958. (Syn. Amphisphaeria striata Niessl).

Cenangiopsis rubicola Gremmen in Sydowia, 12 (1958), p. 488, 1959 on old stems of Rubus.—Italy.

Cephalotrichum medium (Sacc.) Hughes in Canad. J. Bot., 36, p. 744, 1958. (Syn. Stysanus medius Sacc.).

- nanum (Ehrenb.) Hughes in Canad. J. Bot., 36, p. 744, 1958. (Syn. Periconia nana Ehrenb., 1818, pre-starting point: = Stilbum nanum [Ehrenb.] Spreng., 1827).

phillipsii (Berk. & Leighton) Hughes in Canad. J. Bot., 36, p. 744, 1958. (Syn. Periconia phillipsii Berk. & Leighton).

purpureofuscum (Schw.) Hughes in Canad. J. Bot., 36, p. 744, 1958. (Syn. Aspergillus purpureofuscus Schw.).

Ceratocystis bicolor (Davidson & Wells) Davidson in Mycologia, 50, 5, p. 665, 1959. (Syn. Ophiostoma bicolor Davidson & Wells).

[Ceratocystis] brevicollis Davidson in Mycologia, **50**, 5, p. 667, 1959 from Trypodendron retusus galleries in trunks of recently killed Populus tremuloides.—Colorado, U.S.A.

- brunnea Davidson in Mycologia, 50, 5, p. 663, 1959 from insect galleries in Abies

lasiocarpa.—Colorado, U.S.A.

- nigra Davidson in Mycologia, 50, 5, p. 662, 1959 from bark of Abies lasiocarpa.— Colorado, U.S.A.

- perfecta Davidson in Mycologia, 50, 5, p. 665, 1959 from *Ips pilifrons* in log of *Picea engelmannii*.—Colorado, U.S.A.

-tenella Davidson in Mycologia, 50, p. 666, 1959 from secondary bark beetles in logs of *Picea engelmannii*.—Colorado, U.S.A.

vesca Davidson in Mycologia, 50, 5, p. 666, 1959 from secondary bark beetles in logs of Picea engelmannii.—Colorado, U.S.A.

Ceratosporella goidanichii Rambelli in R. C. Accad. Bologna (Fis.), Ser. XI, 5, p. 3 [of separate], 1958 on withered fruit of Fagus sylvatica.—Italy.

Cercoseptoria capsellae (Ell. & Ev.) H. C. Greene in Trans. Wis. Acad. Sci. Arts Lett., 47 (1958), p. 127, 1959. (Syn. Cylindro-

sporium capsellae Ell. & Ev.).

-cydoniae Scharif in Trans. Brit. mycol. Soc., 42, p. 33, 1959 on leaves of Cydonia vulgaris.—Iran.

Cercospora acuminata S. Das in Curr. Sci., 28, p. 80, 1959 on leaves of Anogeissus acuminata.—Orissa, India.

- aeglicola S. Das in Sci. & Cult., 24, p. 140, 1958 on leaves of Aegle marmelos.—Orissa,

- carthami Mendoza, 1941 (this Index, 1, p. 37) is a later homonym of C. carthami Sundararaman & Ramakrishnan, 1928 (Petrak, 4).

- commelinicola Chupp, 1954 (this Index, 2, p. 185), was published without a Latin

diagnosis.

entebbeensis Deighton nom. nov. in Mycol. Pap., C.M.I., 71, p. 10, 1959. (Syn. Cercospora phyllanthi Hansford, 1944 [this Index, 1, p. 118], non Chupp, 1931). On Phyllanthus discoideus.

- leonensis Deighton in Mycol. Pap., C.M.I., 71, p. 14, 1959 on leaves of Phyllanthus

discoideus.—Sierra Leone.

— lychnidis H. C. Greene in *Trans. Wis.* Acad. Sci. Arts Lett., **47** (1958), p. 116, 1959 on leaves of Lychnis coronaria.-Wisconsin, U.S.A.

mandira Chowdhury in Lloydia, 21, p. 154, 1958 on leaves of Tetrameles nudiflora.-

Assam, India.

- moldavica Săvulescu & Bontea in Bul. Fac. Agron., București, 4 (1945), p. 3 [of separate], 1946 on dying leaves of Crambe tatarica .-

- newtonensis Deighton in Mycol. Pap., C.M.I., 71, p. 11, 1959 on leaves of Phyl-

lanthus discoideus.—Sierra Leone.

poonensis Viswanathan in Mycopathologia, 10, 3, p. 221, 1959 on leaves of Ehretia aspera. —India. (Presumed conidial Mycosphaerella poonensis.

ranjita Chowdhury in Lloydia, 21, p. 155, 1958 on leaves of Gmelina arborea.—Assam,

India.

-sarcocephali Viennot-Bourgin in Bull. Soc. mycol. Fr., 75, p. 35, 1959 on leaves of Sarcocephalus esculentus.—Guinea.

sesamicola Mohanty in Indian Phytopath., 11, p. 186, 1958 on leaves of Sesamum indicum.—Orissa, India.

-sphenocleae Viennot-Bourgin [as 'sphenochleae'] in Bull. Soc. mycol. Fr., 75, p. 36, 1959 on leaves of Sphenoclea zeylanica .-

- tarrii Deighton in Mycol. Pap., C.M.I., 71, p. 16, 1959 on leaves of Phyllanthus maderaspatensis.—Republic of Sudan. Sprague Cercosporella boutelouae

Rogerson in Mycologia, 50, 5, p. 638, 1959 on leaves of Bouteloua curtipendula.

Kansas, U.S.A.

tephrosiae H. C. Greene in Trans. Wis-Acad. Sci. Arts Lett., 47 (1958), p. 128. 1959 on leaves of Tephrosia virginiana .-Wisconsin, U.S.A. Cerion leucophaeum (Speg.) Dennis in Keu

Bull., 1958, p. 465, 1959. (Syn. Gorgoniceps leucophaeus Speg.).

Chaetomium prasinum (Berk. & Curt. Hughes in Canad. J. Bot., 36, p. 746, 1958 (Syn. Botrytis prasina Berk. & Curt.).

CHAETOPATELLA Hino and Katumoto in J. Jap. Bot., 33, p. 238, 1958.—Sphaeropsi dales: Excipulaceae. Sp. typ.: C. longi ciliata.

coronata Hino & Katumoto in J. Jap. Bot. 33, p. 239, 1958 on decayed leaf-sheaths o

Pleioblastus hindsii.—Japan.

-longiciliata Hino & Katumoto in J. Jap. Bot., 33, p. 238, 1958 on culms of Sassakurilensis.—Japan.

- setulosa (Hino & Katumoto) Hino & Katu moto in J. Jap. Bot., 33, p. 239, 1958. (Syr Heteropatella setulosa Hino & Katumoto).

Chaetopsis canovae Rambelli in R. C. Accade Bologna (Fis.), Ser. XI, 5, p. 6 [of separate 1958 on withered fruit of Fagus sylvatica.—

CHAETOSCUTULA E. Müller in Sydowia 12 (1958), p. 190, 1959.—Pyrenomycetes Sp. typ.: *C. juniperi*. - juniperi E. Müller in *Sydowia*, 12 (1958)

p. 191, 1959 on leaves of Juniperus phoeniced

—Maritime Alps, France. Chaetosphaeria hinoi Dôke in Danch Nôgaku, 1, p. 54, 1947 on culms of dea Bambusa.—Malay Peninsula.

Chalara aurea (Corda) Hughes in Canad. Bot., 36, p. 747, 1958. (Syn. Menispora aure

Corda)

cylindrosperma (Corda) Hughes in Canae J. Bot., 36, p. 747, 1958. (Syn. Menispon cylindrosperma Corda).

-microspora (Corda) Hughes in Canad. Bot., 36, p. 747, 1958. (Syn. Fusidius clandestinum Corda β microsporum Corda).

(Karst Cheiromycella microscopica Hughes in Canad. J. Bot., 36, p. 747, 195 (Syn. Dicoccum microscopicum Karst.).

Cheiromyces montellicus (Sacc.) R. Moore [as 'montellica'] in Mycologia, 50, p. 682, 1959. (Syn. Stigmella montelli Sacc.).

Cheirospora botryospora (Mont.) Hughes Canad: J. Bot., 36, p. 748, 1958. (Sy Stilbospora botryospora Mont.).

Chloridium botryoideum (Corda) Hughes Canad. J. Bot., 36, p. 748, 1958. (Sy Fusidium botryoideum Corda).

- caudigerum (Höhnel) Hughes in Canad. Bot., 36, p. 748, 1958. (Syn. Cirrhomye caudigerus Höhnel). [Chloridium] chlamydosporis (Van Beyma) Hughes in Canad. J. Bot., 36, p. 748, 1958. (Syn. Bisporomyces chlamydosporis Beyma).

Chlorociboria musae Dennis in Kew Bull., 1958, p. 460, 1959 on rotten fallen leaves of

Musa sapientum.—Bolivia.

CHONDROSTEREUM Pouzar in Čes. Mykol., 13, p. 17, 1959.—Stereaceae [Thelephoraceae]. Sp. typ.: Stereum purpureum (Pers. ex Fr.) Fr.

purpureum (Pers. ex Fr.) Pouzar in Čes. Mykol., 13, p. 17, 1959. (Syn. Thelephora

purpurea Pers. ex Fr.).

CHRYSOGLOEUM Petrak in Sydowia, 12 (1958), p. 254, 1959.—Melanconiales. Sp. typ.: C. peruvianum.

- peruvianum Petrak in Sydowia, 12 (1958), p. 255, 1959 on living and dead leaves of Polylepis incana.—Peru. (Conidial Singeriella peruviana.)

Chrysosporium pannorum (Link) Hughes in Canad. J. Bot., 36, p. 749, 1958. (Syn.

Sporotrichum pannorum Link).

Circinotrichum obscurum (Corda) Hughes in Canad. J. Bot., 36, p. 749, 1958. (Syn. Helicosporium obscurum Corda).

Cistella parksii Cash in Mycologia, 50, 5, p. 642, 1959 on bark of Picea sitchensis.—

California, U.S.A.

Cladobotryum variospermum Hughes in Canad. J. Bot., 36, p. 750, 1958. (Syn. Botrytis variosperma Link, 1815, prestarting point).

verticillatum (Link) Hughes in Canad. J. Bot., 36, p. 750, 1958. (Syn. Acremonium verticillatum Link, 1809, pre-starting point: Mycogone verticillata [Link] Spreng., 1827).

Cladosporium elsinoes H. C. Greene in Trans. Wis. Acad. Sci. Arts Lett., 47 (1958), p. 127, 1959 on Elsinoe wisconsinensis on Desmodium illinoense.-Wisconsin, U.S.A.

Clasterosporium anomalum (Speg.) Hughes in Canad. J. Bot., 36, p. 752, 1958. (Syn.

Napicladium anomalum Speg.).
Clavaria lithocras Reid in Trans. Brit. mycol. Soc., 41, p. 438, 1958 amongst mosses. -England.

Clavariopsis brachycladia Tubaki in Bull. nat. Sci. Mus. Tokyo, N.S., 3, p. 255, 1957

on submerged leaf of Acer.—Japan.

Clavicorona reisneri (Velen.) Corner apud Pilát in Acta Mus. nat. Prag., 14B, 3-4, p. 148, 1958. (Syn. Clavaria reisneri Velen.). Clavulinopsis luteoalba (Rea) Corner var. subfusispora Pilát in Acta Mus. nat. Prag., 15B, 2, p. 120, 1959.—Czechoslovakia.

Cocconia spurcaria (Berk. & Br.) Arx in Sydowia, 12 (1958), p. 401, 1959. (Syn. Rhytisma spurcarium Berk. & Br.).

Cochlonema pygmaeum F. R. Jones [as 'pygmaea'] in Trans. Brit. mycol. Soc., 42, p. 81, 1959 from soil.—Kenya.

Colletotrichum chaetomium (Wallr.) Hughes in Canad. J. Bot., 36, p. 753, 1958. (Syn. Fusarium chaetomium Wallr.).

ceccodes (Wallr.) Hughes in Canad. J. Bot., **36**, p. 754, 1958. (Syn. Chaetomium coccodes Wallr.).

hysteriiforme (Peck) H. C. Greene [as hysteriiformis'] in Amer. Midl. Nat., 44, 3, p. 641, 1951. (Syn. Vermicularia hysteriiformis Peck)

prunicola H. C. Greene [as 'prunicolum'] in Amer. Midl. Nat., 44, 3, p. 640, 1951 on leaves of Prunus serotina.—Wisconsin, U.S.A.

pyrolae (Trel.) Parmelee in Canad. J. Bot.. 36, p. 872, 1958. (Syn. Ovularia pyrolae

Trel.).

- sasicola Hino & Katumoto [as 'sasaecolum'] in Bull. Fac. Agric. Yamaguti Univ., 9, p. 879, 1958 on culms of Sasa kurilensis. Japan.

Colpoma californicum Cash in Mycologia, 50, 5, p. 645, 1959 on bark of Quercus chrysolepis.—California, U.S.A.

COLUMNOCYSTIS Pouzar in Čes. Mykol., 13, p. 17, 1959.—Stereaceae phoraceae]. Sp. typ.: Stereum abietinum (Pers. ex Fr.) Fr.

- abietina (Pers. ex Fr.) Pouzar in Čes. Mykol., 13, p. 17, 1959. (Syn. Thelephora

abietina Pers. ex Fr.).

ambigua (Peck) Pouzar in Čes. Mykol., 13, p. 17, 1959. (Syn. Stereum ambiguum

- carpatica (Pilát) Pouzar in Čes. Mykol., 13, p. 17, 1959. (Syn. Stereum carpaticum

Pilát).

Coniophora incrustata Talbot in Bothalia, 7, 1, p. 139, 1958 on walls in dairy.—South Africa.

Coniosporium ampelodesmi (R. Guyot in Ann. Serv. bot. Tunis., 28 (1955) p. 84, 1958. (Syn. Coniosporium arundinis (Corda) Sacc. var. ampelodesmi R. Maire).

Coniothyrium ailanthi-glandulosae (Sacc.) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 296, 1959. (Syn. Coniothyrium olivaceum Bon. forma ailanthi-glandulosae

ampelopsidis-hederaceae (Sacc.) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 299, 1959. (Syn. Coniothyrium fuckelii Sacc. forma ampelopsidis-hederaceae Sacc.).

-berberidis-vulgaris (Sacc.) Biga, Cifera & Bestagno in Sydowia, 12 (1958), p. 279, 1959. (Syn. Coniothyrium fuckelii Sacc. forma berberidis-vulgaris Sacc.)

calycanthi-floridi (Sacc.) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 277, 1959. (Syn. Coniothyrium olivaceum Bon. forma calycanthi-floridi Sacc.).

carpini-betuli (Sacc.) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 268, 1959. (Syn. Coniothyrium olivaceum Bon. forma

carpini-betuli Sacc.).

- catalpae-syringifoliae (Sacc.) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 305, 1959. (Syn. Coniothyrium olivaceum Bon. forma catalpae-syringifoliae Sacc.).

-celtidis-australis (Sacc.) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 272, 1959. (Syn. Coniothyrium olivaceum Bon. forma

celtidis-australis Sacc.).

evonymi-japonici (Sacc.) Biga, Ciferri & Bestagno [as 'evonymi-japonicae'] in Sydowia, 12 (1958), p. 298, 1959. (Syn. Coniothyrium olivaceum Bon. forma evonymi-japonici Sacc.).

ferrarisianum Biga, Čiferri & Bestagno nom. nov. in *Sydowia*, **12** (1958), p. 297, 1959. (Syn. Coniothyrium olivaceum Bon. var. aceris Ferraris; non Coniothyrium aceris A. Bond., 1921). On Acer pseudoplatanus.

koeleriae Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 84, 1958 on dried leaf-sheaths

of Koeleria villosa.—Tunisia.

koelreuteriae (Hollós) Biga, Ciferri & Bestagno in Sydowia 12 (1958), p. 297, 1959. (Syn. Coniothyrium olivaceum Bon. var.

koelreuteriae Hollós).

[Coniothyrium] lauri-nobilis (Brun.) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 278, 1959. (Syn. Coniothyrium olivaceum Bon. forma lauri-nobilis Brun.).

- olivaceum Bon. forma centaureae Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 85, 1958 on dry stems of Centaurea sphaero-

cephala.—Tunisia.

oosporum (Corda) Hughes in Canad. J. Bot., 36, p. 755, 1958. (Syn. Myxosporium

oosporum Corda).

pelargonii (Massa) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 295, 1959. (Syn. Coniothyrium olivaceum Bon. forma pelargonii Massa)

- philadelphi-coronarii (Sacc.) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 283, 1959. (Syn. Coniothyrium olivaceum Bon.

forma philadelphi-coronarii Sacc.).

Populi-nigrae (Sacc.) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 269, 1959. (Syn. Coniothyrium olivaceum Bon. forma populi-nigrae Sacc.).

retamae Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 85, 1958 on dead stems of

Retama sphaerocarpa.—Tunisia.

rhois-radicantis (Sacc.) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 296, 1959. (Syn. Coniothyrium olivaceum Bon. forma

rhois-radicantis Sacc.). tecomae-radicantis (Sacc.) Biga, Ciferri & Bestagno in Sydowia, 12 (1958), p. 305, 1959. (Syn. Coniothyrium fuckelii Sacc. forma tecomae-radicantis Sacc.).

Conoplea abietina (Peck) Hughes in Canad. J. Bot., 36, p. 755, 1958. (Syn. Streptothrix

abietina Peck).

- geniculata (Corda) Hughes in Canad. J. Bot., 36, p. 755, 1958. (Syn. Botrytis geniculata Corda).

globosa (Schw.) Hughes in Canad. J. Bot., 36, p. 755, 1958. (Syn. Trichoderma globosum

Schw.).

juniperi Hughes nom. nov. in Canad. J. Bot., 36, p. 755, 1958. (Syn. Streptothrix atra Berk. & Curt., 1875, non Conoplea atra Pers., 1801).

Coprinus saichiae Reid in Trans. Brit. mycol. Soc., 41, p. 430, 1958 on dead grass in a lawn.

-England.

Cordyceps parvula Mains in Bull. Torrey bot. Cl., 86, p. 46, 1959 on Orthoptera.—Venezuela.

petchii Mains nom. nov. in Bull. Torrey bot. Cl., 86, p. 47, 1959. (Syn. Cordyceps ramosa Petch, 1937, non Teng, 1936). On coleopterous larvae.

subflavida Mains nom. nov. in Bull. Torrey bot. Cl., 86, p. 47, 1959. (Syn. Cordyceps albida Pat. & Gaill., 1888, non Berk. & Curt.

ex Cooke, 1884). On Orthoptera.
—trinidadensis Mains in Bull. Torrey bot. Cl., 86, p. 46, 1959 on Orthoptera.—Trinidad. Corticium moniliforme Talbot in Bothalia,

7, 1, p. 145, 1958.—South Africa.

*Cortinarius albomaculans R. Henry ['ad int.'] in Bull. Soc. mycol. Fr., 74, p. 329,

1958 in mixed woods.—France.

— alutaceo-olivascens R. Henry [as 'C. (Dermocybe)'] in Bull. Soc. mycol. Fr.. 74, 4, p. 412, 1959 in broad-leaved woods.— France.

- balteatoalbus R. Henry [as 'C. (Phlegmo-

loma) 'I in Bull. Soc. mycol. Fr., 74, p. 305, 1958 in mixed woods.—France.

- balteatoscauroides R. Henry in Bull. Soc. mycol. Fr., 74, p. 299, 1958 proposed as a substitute name for Cortinarius scauroides R. Henry, 1939.

balteatotomentosus R. Henry [as 'C. (Phlegmoloma)'] in Bull. Soc. mycol. Fr., 74, p. 303, 1958 in mountain woods, chiefly

fir.-France.

caesiolatens R. Henry [as 'C. (Phl.)'] in Bull. Soc. mycol. Fr., 74, p. 355, 1958 in mixed woods.-France.

croceocristallinus R. Henry [as (Myxophlegmacium) croceo-cristallinus'] in Bull. Soc. mycol. Fr., 74, p. 264, 1968 in broad-leaved woods.—France.
— croceus Fr. [as 'C. (Dermocybe)'] var.

iodolens R. Henry in Bull. Soc. mycol. Fr., 74, 4, p. 405, 1959 amongst moss, sphagnum, and lichens.—France.
delibutus Fr. forma achromophyllus

R. Henry in Bull. Soc. mycol. Fr., 74, p. 251, 1958 in mixed woods, chiefly spruce.-

France.

-forma decurrentifolius R. Henry in Bull. Soc. mycol. Fr., 74, p. 252, 1958 or

spruce needles.-France.

erumpens R. Henry [as 'C. (Myxophleg-macium)'] in Bull. Soc. mycol. Fr., 74 p. 268, 1958 in pine-woods with scattered oaks .- France.

eucinnamomeus R. Henry [as 'C. (Der mocybe)'] in Bull. Soc. mycol. Fr., 74, 4 p. 399, 1959 [proposed as 'nom. nov.' for 'Cortinarius cinnamomeus Fries, [sensu Fries

nec Auct. plur.'].
-favrei D. M. Henderson [as 'Cortinarius (Myxacium)'] in Notes Roy. Bot. Gard.
22. p. 593, 1958.—Scotland Edinb., 22, p. 593, 195 (= Myxacium favrei Moser, Index, 2, p. 245], nom. nud.). 1955 [thin

felleaecolo fraudulosus Britz. var. R. Henry in Bull. Soc. mycol. Fr., 74, p. 279

1958 in mixed woods.—France.

R. Henry fulvoraphanoides [as (Dermocybe)'] in Bull. Soc. mycol. Fr., 74 4, p. 414, 1959 in mixed woods.—France.

geophilus R. Henry [as 'C. (Dermocybe)] in Bull. Soc. mycol. Fr., 74, 4, p. 392, 195

in broad-leaved woods.—France.

- luteoallutus R. Henry nom. nov. in Bull Soc. mycol. Fr., 74, p. 323, 1958. (Syr Cortinarius allutus Fr. var. lutea R. Henry 1939, without Latin diagnosis).

marginato-ochrascens R. Henry [as 'C] (Phl.)'] in Bull. Soc. mycol. Fr., 74, p. 354, 1958.—France.

- mucifluoides R. Henry var. viridi attenuata R. Henry in Bull. Soc. mycol. Fr 74, p. 256, 1958.—France. [As 'form viridi-attenuata' in legend to fig. I on p. 257

- odorifer Britz. forma immarginato colorata R. Henry in Bull. Soc. mycol. Fr 74, p. 359, 1958 in mountain conifer wood.

France.

-forma lutescens R. Henry in Bu Soc. mycol. Fr., 74, p. 360, 1958 in mountain fir wood.—France.

pallidolutescens R. Henry [as 'C. (Phl.) in Bull. Soc. mycol. Fr., 74, p. 334, 1958

grass at the edge of woods.—France.

*— pseudoarcuatorum R. Henry in Bu
Soc. mycol. Fr., 74, p. 319, 1958.—? France.

*— pseudopimus R. Henry in Bull. Se

mycol. Fr., 74, p. 293, 1958 [as 'nom. nov.' for Cortinarius opimus Fr. sensu R. Henry non Fries].

[Cortinarius] pseudosuillus R. Henry [as 'C. (Inoloma)'] in Bull. Soc. mycol. Fr., 74, 4, p. 383, 1959 in mixed woods.—France.

- pseudotalus R. Henry in Bull. Soc. mycol. Fr., 74, p. 323, 1958 [as 'nom. nov.' for Cortinarius talus Fr. sensu R. Henry, 1951, non Fries].

- pseudotraganus R. Henry [as 'C. (Inoloma)'] in Bull. Soc. mycol. Fr., 74, 4, p. 390,

1959 in fir forests.—France.

- rufoallutus R. Henry nom. nov. in Bull. Soc. mycol. Fr., 74, pp. 328 and 329, 1958. (Syn. Cortinarius allutus Fr. var. rufescens R. Henry, 1939, without Latin diagnosis).

- russeus R. Henry, 1953 (this Index, 2, p. 233) was first published in Rev. Mycol.,

Paris, N.S., 10, Suppl. Colon., 2, p. 78, 1945.

- squamulosus [Batsch] R. Henry [as 'C. (Dermocybe)'] in Bull. Soc. mycol. Fr., 74, 4, p. 406, 1959. (Syn. Agaricus squamulosus Batsch, 1786). [Non Cortinarius squamulosus Peck, 1872.]

subaffinis R. Henry [as 'C. (Phl.)'] in Bull. Soc. mycol. Fr., 74, p. 307, 1958 in fir

forests.-France.

subamethystinus R. Henry [as 'C. (Phl.)'] in Bull. Soc. mycol. Fr., 74, p. 340, 1958 in

meadow grass .- France.

-subamethystinus R. Henry [as 'C. (Inoloma)'] in Bull. Soc. mycol. Fr., 74, 4, p. 391, 1959 in broad-leaved or mixed woods.-France. [See also Cortinarius (Phlegmacium) subamethystinus R. Henry, 1958, above.]

- subcompactus R. Henry [as C.(Inoloma)] in Bull. Soc. mycol. Fr., 74, 4, p. 371, 1959 in mountain spruce woods.—? France.

subcotoneipes R. Henry ['ad int.'] in *Bull.Soc.mycol.Fr., 74, p. 322, 1958.—France.

*—subrhacodes R. Henry in Bull. Soc.
mycol. Fr., 74, p. 327, 1958 in mountain
conifer forests.—France.

-subsquamulosus [Batsch] R. Henry [as 'C. (Dermocybe)'] in Bull. Soc. mycol. Fr., 74, 4, p. 408, 1959. (Syn. Agaricus subsquamulosus Batsch, 1789).

- subvaccinus R. Henry [as 'C. (Inoloma)'] in Bull. Soc. mycol. Fr., 74, 4, p. 377, 1959 in

mountain spruce woods.—France.

- subvalidus R. Henry [as 'C. (Phl.)'] in Bull. Soc. mycol. Fr., 74, p. 314, 1958 in grass under firs.—France.

suillonigrescens R. Henry [as 'C. (Inoloma) suillo-nigrescens'] in Bull. Soc. mycol. Fr., 74, 4, p. 384, 1959 in mixed woods.-

France. -turmalis Fr. var. caperatus R. Henry in Bull. Soc. mycol. Fr., 74, p. 274, 1958 in mixed woods, under broad-leaved trees.— France.

-var. subclaricolor R. Henry in Bull.

Soc. mycol Fr., 74, p. 271, 1958 in coniferous woods.—France.

- vaccinus R. Henry [as 'C. (Inoloma)'] in Bull. Soc. mycol. Fr., 74, 4, p. 376, 1959 in broad-leaved woods.—France.

Corynespora foveolata (Pat.) Hughes in Canad. J. Bot., 36, p. 757, 1958. (Syn. Helminthosporium foveolatum Pat.).

- inversa (Sacc.) Hughes in Canad. J. Bot., 36, p. 757, 1958. (Syn. Helminthosporium inversum Sacc.).

- pulviniformis (Syd.) Hughes in Canad. J.

Bot., 36, p. 757, 1958. (Syn. Helminthosporium pulviniforme Syd.).

Corynetes berterii (Mont.) Imai in Sci. Rep. Yokohama Univ., Sect. II, 4, p. 10, 1955. (Syn. Mitrula berterii Mont.). [Etym. from C. G. Bertero.]

Costantinella terrestris (Link) Hughes in Canad. J. Bot., 36, p. 758, 1958. (Syn. Stachylidium terrestre Link, 1809, pre-starting point: = Botrytis terrestris [Link] Pers., 1822).

Craterellus cornucopioides ([Linn.] Fr.) Pers. var. parvisporus Heinemann in Bull. Jard. bot. Brux., 28, p. 431, 1958.— Belgian Congo.

- plicatulus Heinemann [as 'Craterellus (?) plicatulus'] in Bull. Jard. bot. Brux., 28, p. 433, 1958 on dead wood.—Belgian Congo.

Cryptococcus terricola Pedersen [as 'terricolus'] in C. R. Lab. Carlsberg, Sér. physiol., 31, p. 101, 1958 from forest soils.—Norway.

ryptocoryneum bigeminum (Cooke & Ell.) Hughes in Canad. J. Bot., 36, p. 758, 1958. (Syn. Torula bigemina Cooke & Cryptocoryneum Ell.).

Cryptospora ferruginea (Pers.) Gilman, Tiffany & Lewis in Iowa St. Coll. J. Sci., 33, 3, p. 328, 1959. (Syn. Sillia ferruginea (Pers. ex Fr.) Karst. [Sphaeria ferruginea Pers. ex Fr.]).

Cryptosporella bambusicola Hino Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 905, 1958 on dead culms of Phyllostachys nigra var. henonis.—Japan.

Cucurbitaria tunetana Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 86, 1958 on dead branches of ?Calycotome spinosa.—Tunisia.

Cunninghamella phaeospora Boedijn in Sydowia, 12 (1958), p. 348, 1959 from soil in coffee garden.-Java.

Curvularia eragrostidis (P. Henn.) J. A. Meyer in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., 75, p. 183, 1959. (Syn. Brachysporium eragrostidis P. Henn.).

Cylindrocarpon congoense J. A. Meyer [as congoensis'] in Bull. Soc. mycol. Fr., 74, p. 243, 1958 on fallen fruit of Desplatzia dewevrei.—Belgian Congo.

Cylindrocladium penicilloides (Tubaki) Tubaki in J. Hattori bot. Lab., 20, p. 154, 1958. (Syn. Candelospora penicilloides Tubaki).

simplex J. A. Meyer in Publ. Inst. nat. Étude agron. Congo Belge, Sér. sci., 75, p. 148, 1959 in soil and on dead vegetation.-Belgian Congo.

— var. microchlamydosporum J. A. Meyer in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., 75, p. 148, 1959 in soil.

-Belgian Congo.

Cylindrosporium campicola Rogerson & Sprague in Mycologia, 50, p. 637, 1958 on leaves of Cynodon dactylon.—Kansas, U.S.A.

vagnerae H. C. Greene in Amer. Midl. Nat., 44, 3, p. 641, 1951 on leaves of Smilacina racemosa.—Wisconsin, U.S.A. [Non Cylindrosporium vagnerae (Petr.) Vassiljevsky, 1950 (this Index, 2, p. 54).] Cymatoderma blumei (Lév.) Reid in Kew

Bull., 1958, p. 521, 1959. (Syn. Cladoderris

blumei Lév.).

- dendriticum (Pers.) Reid in Kew Bull., 1958, p. 523, 1959. (Syn. Thelephora dendritica Pers.).

elegans Jungh. var. lamellatum (Berk. & Curt.) Reid in Kew Bull., 1958, p. 525, 1959. (Syn. Thelephora lamellata Berk. &

Curt.).

[Cymatoderma] fuscum (Cooke) Reid in Kew Bull., 1958, p. 526, 1959. (Syn. Cladoderris fusca Cooke).

var. floridanum (Lloyd) Reid in Kew Bull., 1958, p. 526, 1959. (Syn. Cladoderris

floridana Lloyd).

plicatum (Lloyd) Reid in Kew Bull., 1958, p. 527, 1959. (Syn. Stereum plicatum Lloyd).

sclerotioides (Lloyd) Reid in Kew Bull., 1958, p. 528, 1959. (Syn. Stereum sclerotioides Llovd)

CYSTOSTEREUM Pouzar in Čes. Mykol., 13, p. 18, 1959.—Stereaceae [Thelephoraceae]. Sp. typ.: Stereum murraii (Berk. & Curt.) Burt.

-murraii (Berk. & Curt.) Pouzar in Čes. Mykol., 13, p. 18, 1959. (Syn. Thelephora murraii Berk. & Curt.).

Dactylella microaquatica Tubaki in Bull. nat. Sci. Mus. Tokyo, N.S., 3, p. 256, 1957 on submerged leaf of Shiia sieboldii.—Japan.

Dasyscypha echinophila Cash in Mycologia, 50, p. 645, 1958 on involucre spines of Castanopsis sempervirens.—California, U.S.A.

Dasyscyphus singerianus Dennis in Kew Bull., 1958, p. 465, 1959 on thorns of Dicksonia.—Bolivia.

Deightoniella papuana Shaw in Papua & N. Guinea agric. J., 11 (1956), 3, p. 77, 1959 on leaves of Saccharum robustum.—Papua.

Dendryphion nanum (Nees) Hughes in Canad. J. Bot., 36, p. 761, 1958. (Syn. Helminthosporium nanum Nees, 1816-17, prestarting point).

- vinosum (Berk. & Curt.) Hughes in Canad. J. Bot., 36, p. 761, 1958. (Syn. Helmintho-

sporium vinosum Berk. & Curt.).

Dendryphiopsis arbuscula (Berk. & Curt.) Hughes in Canad. J. Bot., 36, p. 762, 1958. (Syn. Helminthosporium arbuscula Berk. & Curt.).

-fascicularis (Berk. & Rav.) Hughes in Canad. J. Bot., 36, p. 762, 1958. Dendryphion fasciculare Berk. & Rav.).

Dentinum crocidens (Cooke) G. H. Cunningham in Trans. roy. Soc. N.Z., 85, p. 589, 1958. (Syn. Hydnum crocidens Cooke).

Dictyosporium binatum (Sacc.) Hughes in Canad. J. Bot., 36, p. 762, 1958. (Syn. Speira binata Sacc.).

crustaceum (Karst.) Hughes in Canad. J. Bot., 36, p. 762, 1958. (Syn. Hormiscium crustaceum Karst.).

oblongum (Fuckel) Hughes in Canad. J. Bot., 36, p. 762, 1958. (Syn. Speira oblonga Fuckel).

Didymella asphodeli E. Müller in Sydowia, 12 (1958), p. 245, 1959 on dead stems of Asphodelus albus.—Switzerland.

- yezoensis Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 902, 1958 on dead culms of Sasa paniculata.—Japan.

Didymium ovoideum Nannenga-Bremekamp in Acta bot. neerl., 7, p. 780, 1958.—Nether-

Didymosphaeria bisphaerica (Cooke Ell.) Scheinpflug in Ber. schweiz. bot. Ges., 68, p. 348, 1958. (Syn. Sphaeria bisphaerica Cooke & Ell.).

- casalii Scheinpflug nom. nov. in Ber. schweiz. bot. Ges., 68, p. 362, 1958. (Syn. Massariella spartii Cas., 1897, non Didymosphaeria spartii (Cast.) Fabre, 1878). On Spartium junceum.

cocconiae Arx in Sydowia, 12 (1958) p. 401, 1959 on Cocconia spurcaria on Artocarpus integrifolia and A. incisa.-Ceylon and Philippine Islands.

indica Scheinpflug in Ber. schweiz. bot. Ges., 68, p. 348, 1958 on rotten wood of Lonicera

quinquelocularis.-India.

sarcococcae Scheinpflug in Ber. schweiz. bot. Ges., 68, p. 359, 1958 on dry stems of Sarcococca saligna.—India.

stipae Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 88, 1958 on dry leaf-sheaths of Stipa tenacissima.—Tunisia.

DIMORPHOSPORA Tubaki in J. Hattori

bot. Lab., 20, p. 156, 1958.—Moniliales. Sp. typ.: D. foliicola. - foliicola Tubaki in J. Hattori bot. Lab.,

20, p. 156, 1958 on decaying leaves of Castanea.-Japan.

DIOSZEGIA Zsolt in Bot. Közl., 47, 1-2, p. 64, 1957.—Fungi imperfecti: Cryptococcaceae. Sp. typ.: D. hungarica.

-hungarica Zsolt in Bot. Közl., 47, 1-2, p. 64, 1957 from soil.—Hungary

Diplococcium mirabile Rambelli in R. C. Acad. Bologna (Fis.), Ser. XI, 5, p. 14 [of] separate], 1958 on withered leaves of Abies alba .- Italy.

Diplodia mutila (Fr.) Mont. var. major Wollenweber & Hochapfel in Z. Parasitenk., 12, 2, p. 186, 1941 on dead branches of Pyrus communis, Photinia, Aucuba, Morus, Ölea, Populus, Ribes malvaceum, Rosa, Salix, Suringa, and on fruit of Juglans regia, Pyrus malus and Cydonia vulgaris.- Europe and Algeria.

Diplodina artemisiae-campestris Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 88, 1958 on dry twigs of Artemisia campestris .-

Tunisia.

- centaureae Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 89, 1958 on dead stems of Centaurea sphaerocephala.—Tunisia.

dracunculi Vörös in Bot. Közl., 47, 3-4, p. 278, 1958 on Artemisia dracunculus.-

Hungary.

ginkgonis Negru in Contr. Bot. Grad. bot. Cluj, p. 65, 1958 on dead twigs of Ginkgo biloba.-Romania.

- polytrichina Racovitza, 1941, was incorrectly cited in this Index, 1, p. 227, as polytricha'

Diplorhinotrichum ampulliforme Tubaki in J. Hattori bot. Lab., 20, p. 159, 1958 on leaves of Cocos nucifera.—Japan.

chrysospermum (Sacc.) Hughes in Canada J. Bot., 36, p. 764, 1958. (Syn. Rhinotrichum

chrysospermum Sacc.)

Drechslera fugax (Wallr.) Shoemaker apuc Hughes in Canad. J. Bot., 36, p. 765, 1958. (Syn. Helminthosporium fugax Wallr.).

Drepanopeziza variabilis E. Müller in Sydowia, 12 (1958), p. 413, 1959 on deac leaves of Ribes alpinum.-France. (Conidia Gloeosporium variabile Laubert.)

Ductifera pululahuana (Pat.) Donk in Taxono 7, p. 164, 1958. (Syn. Tremella pululahuana

Pat.).

EDMUNDMASONIA Subramanian in J. Indian bot. Soc., 37, p. 403, 1958.—Monin liales. Sp. typ.: E. pulchra.

- pulchra Subramanian in J. Indian bot. Soc.

37, p. 403, 1958 on dead wood.—Madras

State, India.

Emericella nidulans (Eidam) Vuill. var. aurantiobrunnea Atkins, Hindson & aurantiobrunnea Atkins, Hindson & Russell in Trans. Brit. mycol. Soc., 41, p. 504, 1958 from soil (isolated from a canvas respirator haversack).—Australia.

Emericellopsis humicola (Cain) Cain ex Grosklags & Swift in Mycologia, 49, pp. 306 and 307, 1957. (Syn. Saturnomyces humicola

Cain

EMMONSIA Ciferri & Montemartini in Mycopathologia, 10, 4, p. 314, 1959.—Moni-

liales. Sp. typ.: E. parva.

- parva (Emmons & Ashburn) Ciferri & Montemartini in Mycopathologia, 10, 4, p. 314, 1959. (Syn. Haplosporangium parvum Emmons & Ashburn).

Endoptychum arizonicum (Shear & Griffiths) A. H. Smith & Singer in Brittonia, 10, p. 221, 1958. (Syn. Secotium arizonicum Shear &

Griffiths).

depressum Singer & A. H. Smith in Brittonia, 10, p. 216, 1958 near conifers.—

Idaho and Oregon, U.S.A.

melanosporum (Berk.) Singer & A. H. Smith in Brittonia, 10, p. 220, 1958. (Syn. Secotium melanosporum Berk.).

Englera creberrima (Syd.) Batista & Peres in Rev. Agric., Pernambuco, 2, p. 29, 1959. (Syn. Asterinella creberrima Syd.).

Enterobryus halophilus Cronin & T. W. Johnson Jr in J. Elisha Mitchell sci. Soc., 74, p. 171, 1958 in intestine of Emerita talpoida.—North Carolina, U.S.A.

Entosordaria spiralis E. Müller in Sydowia, 12 (1958), p. 178, 1959 on bark of Sorbus lanata.—Himalaya, India.

Epicoccum andropogonis (Ces.) Schol-Schwarz in Trans. Brit. mycol. Soc., 42, p. 171, 1959. (Syn. Cerebella andropogonis Ces.).

Erinella hyalopilosa Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 885, 1958 on dead culms of Sasa nebulosa.-

Japan.

Erysiphe cichoracearum DC. forma erigerontis Pospelov apud Pospelov, Zaprometov & Domasheva in Грибная флора Киргизской ССР (Fungus Flora of Kirghiz SSR), Ser. 1 (Systematics and geographical distribution), p. 94, 1957 on Erigeron khorassanicus.—Kirghiz S.S.R.

-labiatarum Chev. forma ziziphorae Pospelov apud Pospelov, Zaprometov & Domasheva in Грибная флора Киргизской ССР (Fungus Flora of Kirghiz SSR), Ser. 1 (Systematics and geographical distribution), p. 95, 1957 on Ziziphora clinopodioides.-

Kirghiz S.S.R.

-umbelliferarum De Bary forma bupleuri Pospelov apud Pospelov, Zaprometov & Domasheva in Грибная флора Киргизской ССР (Fungus Flora of Kirghiz SSR), Ser. 1 (Systematics and geographical distribution), p. 95, 1957 on Bupleurum aureum.-Kirghiz S.S.R.

Eupropolella arctostaphyli E. Müller in Sydowia, 12 (1958), p. 419, 1959 on dry leaves of Arctostaphylos uva-ursi.—Switzer-

Exidia cokeri L. S. Olive, 1944 (this Index, 1, p. 108). Latin diagnosis in J. Elisha Mitchell sci. Soc., 74, p. 41, 1958. Exobasidium emeritense Dennis in Kew

Bull., 1958, p. 403, 1959 causing galls on indet. stem (Vacciniaceae?).—Venezuela.

Fomes annosus (Fr.) Cooke var. indicus Wakefield apud Reid, Thind & Chatrath in Trans. Brit. mycol. Soc., 42, p. 43, 1959lectotype on Picea morinda.—India. [First published (validly?) apud Hole in Indian For., 53, p. 437, 1927.]

Fumago graminis (Corda) Hughes in Canad. J. Bot., 36, p. 767, 1958. (Syn. Soredospora

graminis Corda).

sorbina (Karst.) Hughes in Canad. J. Bot., 36, p. 767, 1958. (Syn. Hormiscium sorbinum Karst.).

ibbera prinsepiae (Chona, Munjal & Kapoor) E. Müller in Sydowia, 12 (1958), Gibbera p. 166, 1959. (Syn. Karschia prinsepiae Chona, Munjal & Kapoor).

Gliomastix guttuliformis J. C. Brown & Kendrick in *Trans. Brit. mycol. Soc.*, **41**, p. 499, 1958 on sand dunes and decaying needles of Pinus sylvestris.—England.

- murorum (Corda) Hughes in Canad. J. Bot., 36, p. 769, 1958. (Syn. Torula murorum

Corda).

var. felina (March.) Hughes in Canad. J. Bot., **36**, p. 769, 1958. (Syn. Periconia felina March.).

Gloeosporidiella variabilis (Laubert) Arx, 1957 (this *Index*, 2, p. 383). Combination already made by Nannfeldt in *Nova Acta* Soc. Sci. upsal., Ser. 4, 8, p. 171, 1932.

Glonium chambianum Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 90, 1958 on wood of

Lonicera implexa.—Tunisia.

Gnomonia hsienjenchang Hino & Katumoto [as '(Hino et Hidaka)'] in Bull. Fac. Agric. Yamaguti Univ., 9, p. 896, 1958 on dead culms of Phyllostachys bambusoides.—Japan. (Conidia: Colletotrichum hsienjenchang Ĥino & Hidaka.

GOOSSENSIA Heinemann in Bull. Jard. bot. Brux., 28, p. 424, 1958.—Agaricaceae. Sp. typ.: G. cibarioides.

cibarioides Heinemann in Bull. Jard. bot. Brux., 28, p. 425, 1958.—Belgian Congo.

Graphium putredinis (Corda) Hughes in Canad. J. Bot., 36, p. 770, 1958. (Syn. Stysanus putredinis Corda).

uignardia himalayensis E. Müller in Phytopath. Z., 34, 4, p. 414, 1959 on leaves of Guignardia Lonicera quinquelocularis.—Himalaya, India.

- mirabilis E. Müller in Phytopath. Z., 34, 4 p. 412, 1959 on dead leaves of Lonicera nigra. France. (Conidia: Kabatia mirabilis Bubák.)

Gyrothrix circinata (Berk. & Curt.) Hughes in Canad. J. Bot., 36, p. 771, 1958. (Syn. Campsotrichum circinatum Berk. & Curt.).

Haematomyxa tetraspora Cash in Mycologia, 50, p. 646, 1958 on twigs of Physocarpus capitatus.—California, U.S.A.

HAEMATOSTEREUM Pouzar Mykol., 13, p. 13, 1959.—Stereaceae [Thelephoraceae]. Sp. typ.: Stereum sanguinolentum (Alb. & Schw. ex Fr.) Fr.

- gausapatum (Fr.) Pouzar in Čes. Mykol., 13, p. 13, 1959. (Syn. Thelephora gausapata

Fr.).

rugosum (Pers. ex Fr.) Pouzar in Čes. Mykol., 13, p. 13, 1959. (Syn. Stereum rugosum Pers. ex Fr.).

[Haematostereum] sanguinolentum (Alb. & Schw. ex Fr.) Pouzar in Čes. Mykol., 13, p. 13, 1959. (Syn. Thelephora sanguinolenta Alb. & Schw. ex Fr.)

HALOSPHAERIOPSIS T. W. Johnson Jr in J. Elisha Mitchell sci. Soc., 74, p. 44, 1958.—Sphaeriales. Sp. typ.: H. medio-

mediosetigera (A. B. & J. W. Cribb) T. W. Johnson Jr in J. Elisha Mitchell sci. Soc., 74, p. 44, 1958. (Syn. Halosphaeria mediosetigera A. B. & J. W. Cribb). Hansfordia alba J. A. Meyer in Publ. Inst.

nat. Étude agron. Congo belge, Sér. sci., 75, p. 93, 1959 on Lasiodiplodia theobromae.— Belgian Congo.

- arborescens (Penz. & Sacc.) Hughes in Canad. J. Bot., 36, p. 771, 1958. (Syn. Trichosporum arborescens Penz. & Sacc.).

-pulvinata (Berk. & Curt.) Hughes Canad. J. Bot., 36, p. 771, 1958. (S (Syn. Polyactis pulvinata Berk. & Curt.).

Hapalophragmium angylocalycis Viennot-Bourgin in Bull. Soc. bot. Fr., 105, 9-10, p. 503, 1959 on leaves of Angylocalyx oligophyllus.—Guinea.

Helicobasidium brebissonii (Desm.) Donk in Taxon, 7, p. 164, 1958. (Syn. Protonema

brebissonii Desm.).

Helicoma macrocephala Kohlmeyer in Ber. dtsch. bot. Ges., 71, p. 99, 1958 on submerged wood of Pinus and Fagus.—Gulf of Venice, Italy.

- monospora Kendrick in Trans. mycol. Soc., 41, p. 446, 1958 on decaying

leaves of *Pinus sylvestris*.—England.
- viridis (Corda) Hughes in *Canad. J. Bot.*, 36, p. 772, 1958. (Syn. Helicocoryne viridis

Corda).

Helicomina costi Salam and P. N. Rao in Indian Phytopath., 11, p. 123, 1958 on leaves of Costus speciosus.—Hyderabad State, India. HELICORHOIDION Hughes in Canad. J.

Bot., 36, p. 773, 1958.—Moniliales. Sp. typ.: H. botryoideum.

-botryoideum (Cooke) Hughes in Canad. J. Bot., 36, p. 773, 1958. (Syn. Epochnium botryoideum Cooke).

pulchrum (Berk. & Corda) Hughes in Canad. J. Bot., 36, p. 773, 1958. (Syn. Mystrosporium pulchrum Berk. & Corda).

Helminthosporium astragali Zaprometov in Pospelov, Zaprometov & Domasheva in Грибная флора Киргизской ССР (Fungus Flora of Kirghiz SSR), Ser. 1 (Systematics and geographical distribution), p. 98, 1957 leaves Astragalusof siversianus .-Kirghiz S.S.R.

cespitosum (Ell. & Barth.) Hughes [as 'Helmisporium'] in Canad. J. Bot.. 775, 1958. (Syn. Exosporium cespitosum

p. 775, 1998. Ell. & Barth.).

- ciliare (Pers.) Hughes [as 'Helmisporium'] in Canad. J. Bot., 36, p. 775, 1958. (Syn. Dematium ciliare Pers., 1801, pre-starting

newbouldiae Viennot-Bourgin in Bull. Soc. mycol. Fr., 75, p. 37, 1959 on leaves of

Newbouldia laevis.—Guinea.

-oligosporum (Corda) Hughes [as 'Helmisporium'] in Canad. J. Bot., 36, p. 775, 1958. (Syn. Coryneum oligosporum Corda)

Helotium polystichi Cash in Mycologia, 50, 5, p. 647, 1959 on stems of Polystichum munitum.—California, U.S.A.

- singeri Dennis in Kew Bull., 1958, p. 463, 1959 on Pteridophyta.—Bolivia.

Hendersonia tunetana Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 94, 1958 on dry leaves of Brachypodium ramosum.—Tunisia.

Hendersoniella compacta (Wallr.) Hughes in Canad. J. Bot., 36, p. 779, 1958. (Syn. Hormiscium compactum Wallr.).

-punctiformis (Corda) Hughes in Canad. J. Bot., 36, p. 779, 1958. (Syn. Dicoccum punctiforme Corda). Heterochaete byliana Talbot in Bothalia, 7,

1, p. 133, 1958.—South Africa. grandispora Talbot in Bothalia, 7, 1,

p. 134, 1958.—South Africa.

Heterosporium equiseti H. C. Greene in Amer. Midl. Nat., 44, 3, p. 642, 1951 on branchlets of Equisetum sylvaticum var. multiramosum.—U.S.A.

Hoehnelomyces macrosporus (Penz. & Sacc.) Boedijn apud Donk in Taxon, 7, p. 164 (Syn. Sphaeronaemella macrosporc 1958.

Penz. & Sacc.).

Humaria cubensis (Berk. & Curt.) Thind & Sethi in J. Indian bot. Soc., 36, p. 202, 1957 (Syn. Peziza cubensis Berk. & Curt.).

HUMIDICUTIS (Singer) Singer in Sydowia 12 (1958), p. 225, 1959.—Agaricales. (Syn Tricholoma subgen. Humidicutis Singer)
Sp. typ.: H. marginata.

marginata (Peck) Singer in Sydowia, 12 (1958), p. 225, 1959. (Syn. Hygrophoru.

marginatus Peck)

HYALOSTACHYBOTRYS Srinivasan in J. Indian bot. Soc., 37, p. 340, 1958.—Moniliales. Sp. typ.: H. bisbyi.

bisbyi Srinivasan in J. Indian bot. Soc., 37 p. 340, 1958 from rhizosphere of Erianthus

munja.—S. India.

sacchari Srinivasan in J. Indian bot. Soc. 37, p. 341, 1958 on living and dead leaf sheaths of Saccharum officinarum.—S. India

Hydnangium majus J. W. Cribb in Pap. Dep. Bot. (formerly Biol.) Univ. Qd, 3, p. 252

1958.—Queensland, Australia.

radicatum J. W. Cribb in Pap. Dep. Bot (formerly Biol.) Univ. Qd, 3, p. 251, 1958.-Queensland, Australia.

tomentosum J. W. Cribb in Pap. Dep Bot. (formerly Biol.) Univ. Qd, 3, p. 251

1958.—Queensland, Australia

Hydnum carbonarium G. H. Cunningham is Trans. roy. Soc. N.Z., 85, p. 591, 1958 under Dacrydium cupressinum.—New Zealand.

Hygrocybe erinacea (Pat.) Singer in Sydowid 12 (1958), p. 225, 1959. (Syn. Hygrophorus erinaceus Pat.).

mexicana Singer in Sydowia, 12 (1958)

p. 225, 1959.—Mexico.

HYGROTRAMA Singer in Sydowia, 1 (1958), p. 221, 1959.—Agaricales: Hygrophoraceae. Sp. typ.: H. dennisianum.

dennisianum Singer in Sydowia, 12 (1958)

p. 221, 1959.—Mexico.

hymenocephalum (A. H. Smith & Hesler Singer in Sydowia, 12 (1958), p. 222, 1959 (Syn. Hygrophorus hymenocephalus A. H. Smith & Hesler).

microsporum (A. H. Smith & Hesler Singer in Sydowia, 12 (1958), p. 223, 195 (Syn. Hygrophorus microsporus A. H. Smit

& Hesler).

Hyphosoma aucupariae (Jørst.) Hughes Canad. J. Bot., 36, p. 780, 1958. (Sy-Coccosporium aucupariae Jørst.).

[Hyphosoma] grande (Cooke) Hughes [as 'grandis'] in Canad. J. Bot., 36, p. 780, 1958. (Syn. Podosporium grande Cooke).

- lumbricoideum (Dearn.) Hughes TAS 'lumbricoidea'] in Canad. J. Bot., 36, p. 780, 1958. (Syn. Helminthosporium lumbricoideum Dearn.).

- piceae (Funck) Hughes in Canad. J. Bot., 36, p. 780, 1958. (Syn. Monilia piceae Funck, 1815, pre-starting point).

resinaceum (Cooke) Hughes [as 'resinacea'] in Canad. J. Bot., 36, p. 781, 1958. (Syn. Helminthosporium resinaceum Cooke).

Hypocrea muroiana Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 888, 1958 on dead culms of Sinobambusa tootsik.-

Hypoxylon nigropustulatum Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 906, 1958 on culms of Sasa kurilensis.-Japan.

Inocybe bispora Hongo in J. Jap. Bot., 33,

p. 349, 1958 in pine woods.—Japan. YENGARINA Subramanian in J. Indian bot. Soc., 37, p. 406, 1958.—Moniliales. Sp. typ.: I. elegans.

elegans Subramanian in J. Indian bot. Soc., 37, p. 407, 1958 on dead wood.—Madras

State, India.

Kabatia lonicerae (Harkn.) Höhnel var. americana (Ell. & Ev.) Conners in Canad. J. Bot., 37, p. 424, 1959. (Syn. Leptothyrium periclymeni (Desm.) Sacc. var. americanum Ell. & Ev.).

- var. involucratae Conners in Canad. J. Bot., 37, p. 425, 1959 on Lonicera involucrata.

-Colorado, U.S.A.

- var. latemarensis (Bubák) Conners in Canad. J. Bot., **37**, p. 425, 1959. (Syn. Kabatia latemarensis Bubák).

- mirabilis Bubák var. oblongifoliae Conners in Canad. J. Bot., 37, p. 427, 1959 on Lonicera oblongifolia.—Ontario, Canada. OORCHALOMELLA Chona, Munjal & Kapoor in Indian Phytopath., 11, p. 130, 1958.—Moniliales. Sp. typ.: K. oryzae.

- oryzae Chona, Munjal & Kapoor in Indian Phytopath, 11, p. 132, 1958 on dead culms of Oryza sativa.—India.

acellinopsis glomerulosa (Penz. & Sacc.) Hughes in Canad. J. Bot., 36, p. 781, 1958. (Syn. Torula glomerulosa Penz. & Sacc.).

aeticorticium roseocarneum Boidin [as 'roseo-carneum'] in Bull. Soc. mycol. Fr., 74, 4, p. 479, 1959. (Syn. Thelephora roseo-carnea Schw.)

aetinaevia setosa E. Müller in Sydowia, 12 (1958), p. 406, 1959 on decayed leaves of

Lonicera nigra.—France.

ambertella boliviana Dennis in Kew Bull., 1958, p. 458, 1959 on dead (Myrtaceae?) in forest.—Bolivia. leaves

amprospora trachycarpa (Curr.) Seaver var. ferruginea (Fuckel) Thind & Sethi in J. Indian bot. Soc., 36, p. 199, 1957. (Syn. Plicaria ferruginea Fuckel).

AURILIA Pouzar in Čes. Mykol., 13, p. 14, 1959.—Stereaceae [Thelephoraceae].

typ.: Stereum sulcatum Burt

sulcata (Burt) Pouzar in Čes. Mykol., 13, p. 15, 1959. (Syn. Stereum sulcatum Burt). embosia dimorpha Petrak in Sydowia, 12 (1958), p. 481, 1959 on indet. leaves.— Philippine Islands.

pampangensis Petrak in Sydowia, 12 (1958), p. 482, 1959 on leaves of Eugenia.-Philippine Islands.

Lemonniera terrestris Tubaki in J. Hattori bot. Lab., 20, p. 165, 1958 on capsule of Juglans.-Japan.

Lentaria soluta (Karst.) Pilát in Acta Mus. nat. Prag., 14B, 3-4, p. 182, 1958. (Syn. Clavaria soluta Karst.).

Lepiota adulterina Møller in Friesia, 6 (1957–58), 1–2, p. 23, 1959 on bare boggy ground in frondose woods.—Denmark.

ventriosospora Reid in Trans. Brit. mycol. Soc., 41, p. 427, 1958 under mixed trees. England.

Leptopeltis indica E. Müller in Sydowia, 12 (1958), p. 174, 1959 on dead stems of Eupteris aquilina.—Himalaya, India.

Leptosphaeria lelebae Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 904, 1958 on dead culms of Leleba simplex.-Japan.

eptothyrium muscorum Racovitza in Bull. Sect. sci. Acad. roum., 23 (1940-41), Leptothyrium p. 575, 1942 on Polytrichum attenuatum.— Romania.

periclymeni (Desm.) Sacc. var. xylostei (Pass.) Conners in Canad. J. Bot., 37, p. 423,

1959. (Syn. Depazea xylostei Pass.). LLOYDELLOPSIS Pouzar in Čes. Mykol., 13, p. 14, 1959. Stereaceae [Thelephoraceae]. Sp. typ.: Stereum chailletii (Pers. ex Fr.) Fr. areolata (Chaill. ex Fr.) Pouzar in Čes.

Mykol., 13, p. 16, 1959. (Syn. Thelephora

areolata Chaill. ex Fr.).

- chailletii (Pers. ex Fr.) Pouzar in Čes.

Mykol., 13, p. 16, 1959. (Syn. Thelephora chailletii Pers. ex Fr.).

Lopharia crassa (Lév.) Boidin in Bull. Soc. mycol. Fr., 74, 4, p. 479, 1959. (Syn. Thele-

phora crassa Lév.).

Lophodermium pyrolae Parmelee in Canad. J. Bot., 36, p. 865, 1958 on leaves of Pyrola bracteata.—Vancouver Island, B.C., Canada.

Marasmiellus paurosporus Singer Sydowia, 12 (1958), p. 228, 1959.—Mexico.

arasmius carpenterianus Singer in Sydowia, 12 (1958), p. 70, 1959 on dead leaves.—Peru. Marasmius

cohortalis Berk. var. arenicolor Singer in Sydowia, 12 (1958), p. 92, 1959.—Argentina. - var. hymeniicephalus (Speg.) Singer in

Sydowia, 12 (1958), p. 89, 1959. (Syn. Agaricus hymeniicephalus Speg.).

- var. pseudocollinus Singer & Digilio

ex Singer in Sydowia, 12 (1958), p. 91, 1959. -Argentina. - culmisedus Singer var. dicotyledoneus

Singer in Sydowia, 12 (1958), p. 142, 1959 on fallen twig.—South America.

*— dennisii Singer in Sydowia, 12 (1958), p. 117, 1959 [as 'nom. nov.' for Marasmius leoninus Berk. sensu Dennis, 1951].

echinatulus Singer nom. nov. in Sydowia, 12 (1958), p. 98, 1959. (Syn. 'M. echinatus Theissen ex Singer, non Romell').

euosmus Singer in Sydowia, 12 (1958), p. 69, 1959 on a log.—Panama.

gardneri Singer nom. nov. in Sydowia, 12 (1958), p. 114, 1959. (Syn. Agaricus ferrugineus Berk., 1843, non Pers. ex Secr., 1833).

- haematocephalus (Mont.) Fr. oenechinus Singer in Sydowia, 12 (1958), p. 120, 1959 on stems and leaves of Cecropia

palmata.—Cuba.

[Marasmius haematocephalus] var. pseudotageticolor Singer in Sydowia, 12 (1958), p. 120, 1959 on fallen dicotyledonous leaves. -Panama.

var. transiens Singer in Sydowia, 12 (1958), p. 120, 1959 on dicotyledonous wood

in subtropical forest.—Argentina.

*— leoninus Berk. var. olivascenticeps Singer in Sydowia, 12 (1958), p. 105, 1959.— Florida, U.S.A.

- marthae Singer in Sydowia, 12 (1958), p. 137, 1959 on dicotyledonous wood.-

Argentina.

var. paucilamellatus Singer in Sydowia, 12 (1958), p. 138, 1959 on bark of trees.-

Argentina.

-martinii Singer [as 'martini'] nom. nov. in Sydowia, 12 (1958), p. 70, 1959. (Syn. Cymatella longipes Martin, non Marasmius longipes Mont., 1854, nec Marasmius longipes (Bull. ex Saint-Amand) Quél., 1888)

*— montagnei Singer in Sydowia, 12 (1958), p. 117, 1959 [as 'nom. nov. ad int.' for Leprieur 990 and 1023 det. Montagne, 1854, as Marasmius haematocephalus (Mont.) Fr.].—French Guiana.

oaxacanus Singer in Sydowia, 12 (1958), p. 232, 1959 on fallen dead leaves of Inga.-

 ${f \hat{M}}$ exico.

- oligocystis Singer in Sydowia, 12 (1958), p. 73, 1959 on decaying leaves.—Brazil.

-praecox Singer in Sydowia, 12 (1958), p. 140, 1959 in damp subtropical forest.— Argentina.

purpureostriatus Hongo in J. Jap. Bot., 33, p. 344, 1958 on dead leaves and sticks in woods.—Japan.

-rufomarginatus Singer in Sydowia, 12 (1958), p. 134, 1959 on fallen leaves of

Nectandra coriacea.—Florida, U.S.A. - sessiliaffinis Singer in Sydowia, 12 (1958), p. 81, 1959 amongst forest litter.—Panama.

- setulosifolius Singer ['ad int.'] in Sydowia, 12 (1958), p. 110, 1959 on fallen dicotyledonous leaves.—Panama.

-smaragdinus (Berk.) Singer in Sydowia, 12 (1958), p. 75, 1959. (Syn. Agaricus smaragdinus Berk.).

- virginianus Singer ['ad int.'] in Sydowia, 12 (1958), p. 112, 1959 on leaf mould and petioles of frondose trees.—Virginia, U.S.A.

Maravalia manettiae Jørstad in Ark. Bot., Ser. 2, 4, 5, p. 85, 1959 on Manettia.— Ecuador.

Marssonina sonchi (Dearn. & Bisby) Karakulin, 1951 (this *Index*, 2, p. 58). Combination already made by Bisby, The Fungi of Manitoba and Saskatchewan, p. 131, 1938.
- viticola (Miyake) Karakulin, 1951 (this

Index, 2, p. 58). Combination already made by Tai in Sci. Rep. Tsing Hua Univ., Ser. B,

2, 4–6, p. 461, 1937.

Massarinula gloeospora Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 899, 1958 on dead culms of Sasa tyugo-

kensis.--Japan

Melampsora epitea Thümen forma specialis tsugae Ziller in Canad. J. Bot., 37, p. 115, 1959; O and I on needles of Tsuga heterophylla and T. mertensiana, II and III on leaves of Salix scouleriana forma poikila and S. sitchensis.—U.S.A. and Canada.

Melanconis smilacis Gilman, Tiffany & Lewis in *Iowa St. Coll. J. Sci.*, 33, 3, p. 340. 1959 on dead branches of Smilax.-Iowa,

Melanconium salicis (Corda) Hughes in Canad. J. Bot., 36, p. 783, 1958. (Syn. Trimmatostroma salicis Corda). [Non Melanconium salicis Allesch., 1895.]

Hughe Melanographium fasciculatum nom. nov. in Canad. J. Bot., 36, p. 783, 1958 (Syn. Monotospora fasciculata Sacc., 1917) non Cooke & Massee, 1892).

spinulosum (Speg.) Hughes in Canad. J Bot., 36, p. 783, 1958. (Syn. Cordello

spinulosa Speg.).

Melanotaenium ruppiae Feldmann in Rev gén. Bot., 66, p. 36, 1959 on Ruppia maritima

-Mediterranean coast, France.

Melasmia phyteumatis Zaprometov [as 'phyteumae'] apud Pospelov, Zaprometov & Domasheva in Грибная флора Киргизскої ССР (Fungus Flora of Kirghiz SSR), Ser. 3 (Systematics and geographical distribution) p. 97, 1957 on leaves of *Phyteuma argutum*.— Kirghiz S.S.R.

Meliola abraensis Petrak in Sydowia, 1. (1958), p. 438, 1959 on leaves of Semecarpus ?philippinensis.—Philippine Islands.

elattostachydis Petrak in Sydowia, 1. (1958), p. 447, 1959 on leaves of Elatto

stachys.—Philippine Islands.

-knoxiae Petrak in Sydowia, 12 (1958) p. 451, 1959 on leaves of Knoxia corymbosa.-Philippine Islands.

-lasianthi Petrak in Sydowia, 12 (1958) p. 452, 1959 on leaves of Lasianthus micro

phyllus.—Philippine Islands.

melicopes Petrak in Sydowia, 12 (1958) p. 453, 1959 on leaves of Melicope triphylla .-Philippine Islands. - meliosmae Petrak [as 'meliosmatis'] i

Sydowia, 12 (1958), p. 454, 1959 on leaves o Meliosma.—Philippine Islands. notabilis Petrak in Sydowia, 12 (1958)

p. 456, 1959 on leaves of Saurauia elegans .-Philippine Islands.

- pampangensis Petrak in Sydowia, 11 (1958), p. 457, 1959 on leaves of Buddlei asiatica.—Philippine Islands.

- pseudosasae Hara apud Hino & Katumot in Bull. Fac. Agric. Yamaguti Univ., { p. 882, 1958 on leaves of Sasa borealis vapurpurascens .- Japan.

symphorematis Petrak [as 'symphone matis'] in Sydowia, 12 (1958), p. 461, 195 on leaves of 'Symphonema' [Symphorement

luzonicum.-Philippine Islands.

zambalesica Petrak in Sydowia, 12 (1958 p. 465, 1959 on leaves of *Dioscorea*.-Philippine Islands.

Menispora minuta Tubaki in J. Hattori ba-Lab., 20, p. 166, 1958 on dead leaves (Lithocarpus edulis.—Japan.

Microcyclus indicus Tilak in Sydowia, 1 (1958), p. 198, 1959 on leaves of Actine daphne hookeri.—Mahabaleshwar, India.

Microdiplodia acaciarum Petrak in Sydowi 12 (1958), p. 51, 1959 on Acacia (longifol)

or intertexta 1).—Australia.
—huszii Vörös in Bot. Közl., 47, p. 27
1958 on bark of Malus pumila.—Hungary.
Microsphaera ligustri Hino & Katumo

dicrosphaera ligustri Hino & Katumor apud Katumoto in Bull. Fac. Agric. Yamguti Univ., 9, p. 910, 1958 on leaves Ligustrum obtusifolium.—Japan.

[Microsphaera] umbilici Komarov forma sedi Pospelov apud Pospelov, Zaprometov & Domasheva in Грибная флора Киргизской ССР (Fungus Flora of Kirghiz SSR), Ser. 1 (Systematics and geographical distribution), p. 96, 1957 on Sedum eversii.—Kirghiz S.S.R.

Mollisia lithocarpi Cash in Mycologia, 50, 5, p. 647, 1959 on dead leaves of Lithocarpus

densiflora.—California, U.S.A.

-urticae Cash in Mycologia, 50, 5, p. 648,
1959 at base of stems of Urtica lyallii.—

California, U.S.A.

Mollisina ammophilae Cash in Mycologia, 50, 5, p. 649, 1959 on stems of Ammophila

arenaria.—California, U.S.A.

Monochaetia cornicola Hino & Katumoto apud Katumoto in Bull. Fac. Agric. Yamaguti *Univ.*, 9, p. 914, 1958 on leaves of *Cornus* brachypoda.-Japan.

MONODICTYS Hughes in Canad. J. Bot., 36, p. 785, 1958.—Moniliales. Sp. typ.:

M. putredinis.

antiqua (Corda) Hughes in Canad. J. Bot., 36, p. 785, 1958. (Syn. Sporidesmium anti-

quum Corda).

aspera (Corda) Hughes in Canad. J. Bot., 36, p. 785, 1958. (Syn. Sporidesmium asperum Corda).

bogoriensis (Penz. & Sacc.) Hughes in Canad. J. Bot., 36, p. 785, 1958. (Syn. Sporidesmium bogoriense Penz. & Saec.).

castaneae (Wallr.) Hughes in Canad. J. Bot., 36, p. 785, 1958. (Syn. Hyphelia castaneae Wallr.).

cellulosa Hughes nom. nov. in Canad. J. Bot., 36, p. 786, 1958. (Syn. Sporidesmium cellulosum Sacc., 1886, non (Corda) Rabenh., 1844).

glauca (Cooke & Harkn.) Hughes in Canad. J. Bot., 36, p. 785, 1958. (Syn. Epochnium

glaucum Cooke & Harkn.).

levis (Wilts.) Hughes in Canad. J. Bot., 36, p. 785, 1958. (Syn. Acrospeira levis Wilts.).

nitens (Schw.) Hughes in Canad. J. Bot., 36, p. 786, 1958. (Syn. Sporideomium nitens Schw.).

paradoxa (Corda) Hughes in Canad. J. Bot., 36, p. 786, 1958. (Syn. Sporidesmium paradoxum Corda)

putredinis (Wallr.) Hughes in Canad. J. Bot., 36, p. 785, 1958. (Syn. Melanconium putredinis Wallr.).

MONOTOSPORELLA Hughes nom. nov. in Canad. J. Bot., **36**, p. 786, 1958. (Syn. Monosporella Hughes, 1953 [this Index, **2**, p. 149], non Keilin, 1920). Sp. typ.: M. setosa.

setiformis (Wallr.) Hughes in Canad. J. Bot., 36, p. 787, 1958. (Syn. Helminthosporium setiforme Wallr.).

setosa (Berk. & Curt.) Hughes in Canad. J. Bot., 36, p. 787, 1958. (Syn. Monotospora setosa Berk. & Curt.).

sphaerocephala (Berk. & Br.) Hughes in Canad. J. Bot., 36, p. 787, 1958. (Syn.

Monotospora sphaerocephala Berk. & Br.).
Morenoella killianii Batista & Maia in
Broteria, N.S., 28, p. 24, 1959 on leaves of
'Bredmeyera' [Bredemeyera].—Brazil.

pentacmes Batista & Maia [as 'pentacmeae'] in Broteria, N.S., 28, p. 29, 1959 on leaves of Pentacme contorta.—Philippine Islands.

- vitalii Batista & Maia in Broteria, N.S., 28, p. 30, 1959, on leaves of Ocotea.—Brazil.

Mortierella claussenii Linnemann in Arch. Mikrobiol., 30, p. 365, 1958 from soil.—

- hygrophila Linnemann var. rosularis Linnemann in Arch. Mikrobiol., 30, p. 266, 1958 from soil.—Europe.

- schmuckeri Linnemann in Arch. Mikro-

biol., 30, p. 263, 1958.—Mexico.

†Mucronella calva Fr. var. aggregata (Fr.) Pilát in Acta Mus. nat. Prag., 14B, 3-4, p. 245, 1958. (Syn. Mucronella aggregata

forma ramificata Pilát in Acta Mus. nat. Prag., 14B, 3-4, p. 245, 1958.—Czecho-

slovakia.

Mycena pearsoniana Dennis apud Singer in Sydowia, 12 (1958), p. 233, 1959 under Abies.—Mexico. [Not validly published by Dennis, 1955 (this *Index*, 2, p. 244).]

- violacella (Speg.) Singer in Sydowia, 12 (1958), p. 233, 1959. (Syn. Collybia violacella Speg.). [Combination already made (in error, as 'violaceella') by Singer, 1955 (this

Index, 2, p. 281).]

Mycosphaerella artemisiae Tilak in Mycopathologia, 10, 3, p. 218, 1959 on dead leaves of Artemisia nilgirica.—India. (Presumed

conidia: Septoria nilgiriensis.)

calamagrostis Greene, 1945 (this Index, 1, p. 152). See also Mycosphaerella calama-grostidis Volkart, 1906, and M. calamagrostidis Petrak, 1925 (Petrak, 3), originally published as 'calamagrostis

phyllostachydis (Hara) Hara apud Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 901, 1958 [with Latin diagnosis]. (Syn. Mycosphaerella bambusae Pat. var. phyllostachydis Hara, 1922).

poonensis Viswanathan in Mycopathologia, 10, 3, p. 222, 1959 on leaves of Ehretia aspera. -India. (Presumed conidia: Cercospora

poonensis.)

MYRIANGIOMYCES Batista & Nascimento in Broteria, N.S., 27, p. 175, 1958.—Myriangiales. Sp. typ.: M. quercifoliae.

quercifoliae [sic] Batista & Nascimento in Broteria, N.S., 27, p. 176, 1958 on leaves of Quercus virens.—Florida, U.S.A.

Nadsonia slovaca Kocková-Kratochvílová & Svobodová-Poláková in J. gen. Microbiol., 20, p. 26, 1959.—Czechoslovakia.

Nectria exigua Hino & Katumoto in Bull. Fac. Agric. Yanaguti Univ., 9, p. 889, 1958 on culms of Sasa paniculata.—Japan.

Nematogonum ferrugineum (Pers.) Hughes in Canad. J. Bot., 36, p. 789, 1958. (Syn. Monilia ferruginea Pers.).

Neottiospora geranii (Schroet.) H. C. Greene in Trans. Wis. Acad. Sci. Arts Lett., 47, (1958), p. 113, 1959. (Syn. Dilophospora geranii Schroet.).

umbelliferarum H. C. Greene in Trans. Wis. Acad. Sci. Arts Lett., 47 (1958). p. 113, 1959 on leaves of Oxypolis rigidior.—Wisconsin, U.S.A.

Neurophyllum brunneum Heinemann [as 'Nevrophyllum'] in Bull. Jard. bot. Brux., 28, p. 435, 1958.—Belgian Congo.

Niptera polytrichina Racovitza in Bull. Sect. sci. Acad. roum., 23 (1940–41), p. 25, 1942 on Polytrichum formosum.—Romania.

Nodulisporium affine (Ell. & Ev.) Hughes in Canad. J. Bot., **36**, p. 789, 1958. (Syn. Botrytis affinis Ell. & Ev.). [Nodulisporium] atroviride (Cooke & Ell.) Hughes in Canad. J. Bot., 36, p. 789, 1958. (Syn. Botrytis atroviridis Cooke & Ell.).

corticioides (Ferr. & Sacc.) Hughes in Canad. J. Bot., 36, p. 789, 1958. (Syn. Haplaria corticioides Ferr. & Sacc.).

-eHisii (Sacc. & Syd.) Hughes in Canad. J. Bot., 36, p. 789, 1958. (Syn. Botrytis ellisii

Sacc. & Syd.).

episphaericum (Schw.) Hughes in Canad. J. Bot., 36, p. 789, 1958. (Syn. Dematium episphaericum Schw.).

fulvum (Link) Hughes in Canad. J. Bot., 36, p. 789, 1958. (Syn. Sporotrichum fulvum

Link, 1809, pre-starting point).

gregarium (Berk. & Curt.) J. A. Meyer in Publ. Inst. nat. Étude agron. Congo belge, Sér. sci., 75, p. 91, 1959. (Syn. Stachylidium gregarium Berk. & Curt.).

- griseofuscum (Karst.) Hughes in Canad. J. Bot., 36, p. 789, 1958. (Syn. Cladorrhinum

griseofuscum Karst.).

-hepaticum (Wallr.) Hughes in Canad. J. Bot., 36, p. 790, 1958. (Syn. Botrytis hepatica Wallr.).

olivascens (Karst.) Hughes in Canad. J. Bot., 36, p. 790, 1958. (Syn. Trichosporum olivascens Karst.).

polysporum (Link) Hughes in Canad. J. Bot., 36, p. 790, 1958. (Syn. Botrytis polyspora Link, 1809, pre-starting point).

- tabacinum (Sacc. & Roum.) Hughes in Canad. J. Bot., 36, p. 790, 1958. (Syn. Trichosporum tabacinum Sacc. & Roum.).

velutinum (Wallr.) Hughesin Canad. J. Bot., 36, p. 790, 1958. (Syn. Botrytis vetutina Wallr.). -verticillioides (Corda) Hughes in Canad. J. Bot., 36, p. 790, 1958. (Syn. Botrytis verticillioides Corda).

Nodulosphaeria deutziae E. Müller in Sydowia, 12 (1958), p. 172, 1959 on dead stems of Deutzia staminea.—Himalaya, India.

OCHROGLOSSUM Imai in Sci. Rep. Yokohama Univ., Sect. II, 4, p. 6, 1955.—Helotiales. Sp. typ.: Geoglossum rufum Schw.

- capitatum (Tai) Imai in Sci. Rep. Yokohama Univ., Sect. II, 4, p. 7, 1955. (Syn. Micro-glossum capitatum Tai).

fumosum (Peck) Imai in Sci. Rep. Yoko-hama Univ., Sect. II, 4, p. 7, 1955. (Syn. Leptoglossum luteum var. fumosum Peck)

-longisporum (Durand) Imai in Sci. Rep. Yokohama Univ., Sect. II, 4, p. 8, 1955. (Syn. Microglossum longisporum Durand).

- rufum (Schw.) Imai in Sci. Rep. Yokohama Univ., Sect. II, 4, p. 7, 1955. (Syn. Geoglossum rufum Schw.).

tetrasporum (Tai) Imai in Sci. Rep. Yokohama Univ., Sect. II, 4, p. 8, 1955. (Syn. Microglossum tetrasporum Tai).

Octaviania beccarii (Petri) J. W. Cribb in Pap. Dep. Bot. (formerly Biol.) Univ. Qd. 3, p. 249, 1958. (Syn. Clathrogaster beccari [sic] Petri).

- nigrescens J. W. Cribb in Pap. Dep. Bot. (formerly Biol.) Univ. Qd, 3, p. 249, 1958

under Eucalyptus.—Queensland, Australia.

plena J. W. Cribb in Pap. Dep. Bot. (formerly Biol.) Univ. Qd, 3, p. 250, 1958.— Queensland, Australia.

Odontia calcarea (Cooke & Massee) G. H. Cunningham in Trans. roy. Soc. N.Z., 86, p. 70, 1959. (Syn. Hydnum calcareum Cooke & Massee).

capitata G. H. Cunningham in Trans. roy Soc. N.Z., 86, p. 74, 1959 on bark of dead branches (type on Carpodetus serratus) .-New Zealand.

columellifera G. H. Cunningham in Trans roy. Soc. N.Z., 86, p. 84, 1959 on dead branches (type on Leptospermum scoparium)

-New Zealand.

flexibilis G. H. Cunningham in Trans. roy Soc. N.Z., 86, p. 99, 1959 on dead stem of Freycinetia banksii.—New Zealand.

fragilis G. H. Cunningham in Trans. row Soc. N.Z., 86, p. 100, 1959 on dead branche (type on Beilschmiedia tawa).—New Zealand · lutea G. H. Cunningham in Trans. row

Soc. N.Z., 86, p. 82, 1959 on dead branche (type on Dysoxylum spectabile).-New Zea.

nothofagi G. H. Cunningham in Trans roy. Soc. N.Z., 86, p. 88, 1959 on deactrunks (type on Nothofagus menziesii). New Zealand.

-novae-zealandiae G. H. Cunningham in Trans. roy. Soc. N.Z., 86, p. 99, 1959 of dead branches (type on Beilschmiedia tawa)

-New Zealand.

G. H. Cunningham [a oblongispora 'oblongospora'] in Trans. roy. Soc. N.Z. 86, p. 95, 1959 on decorticated wood (type on Agathis australis).-New Zealand.

oleifera G. H. Cunningham in Trans. rog Soc. N.Z., 86, p. 102, 1959 on dead branche (type on Beilschmiedia tawa).—New Zealand

stratosa G. H. Cunningham in Trans. rog Soc. N.Z., 86, p. 78, 1959 on dead branche. Macropiper excelsum).-Nev (type on Zealand.

subscopinella G. H. Cunningham in Tranroy. Soc. N.Z., 86, p. 72, 1959 on dead wood (type on Leptospermum ericoides).—Ne Zealand.

- tessellata G. H. Cunningham in Tranroy. Soc. N.Z., 86, p. 89, 1959 on dead sten-of Weinmannia racemosa.—New Zealand.

- verruculosa G. H. Cunningham in Trans roy. Soc. N.Z., 86, p. 80, 1959 on deabranches (type on Beilschmiedia tawa). New Zealand.

vestculosa G. H. Cunningham in Transroy. Soc. N.Z., 86, p. 75, 1959 on deer branches (type on Nothofagus menziesii). New Zealand.

Oedemium didymum (Schm.) Hughes Canad. J. Bot., 36, p. 790, 1958. (Sy. Botrytis didyma Schm., 1817, pre-startin point: = Cladotrichum didymum [Schm. Sacc., 1886).

minus (Link) Hughes in Canad. J. Box 36, p. 790, 1958. (Syn. Helminthosporia minus Link, 1815, pre-starting point: Helminthosporium velutinum Link ex Fr. minus [Link] Fr., 1832).

Oidiodendron tenuissimum (Peck) Hughin Canad. J. Bot., 36, p. 790, 1958. (Sy

Periconia tenuissima Peck).

Omphalina luteolilacina (Favre) D. Henderson in Notes Roy. Bot. Gard. Edin 22, p. 595, 1958. (Syn. Omphalia luter lilacina Favre).

obscurata Reid in Trans. Brit. myca Soc., 41, p. 419, 1958 on burnt soil among Sphagnum.—Scotland. (= Omphalia obsc rata Kühner, 1949, nom. nud. [this Inde 2, p. 394] = Omphalina obscurata (Kühne Lange, 1955 [this Index, 2, p. 218].)

Ostracoderma carneum (Ehrenb.) Hughes in Canad. J. Bot., 36, p. 792, 1958. (Syn. Polyactis carnea Ehrenb., 1818, pre-starting point: - Mucor carneus [Ehrenb.] Link, 1824).

fossarum (Fautr.) Hughes in Canad. J.Bot., 36, p. 792, 1958. (Syn. Sporotrichum

fossarum Fautr.).

isabellinum (Preuss) Hughes in Canad. J. Bot., 36, p. 792, 1958. (Syn. Botrytis isabellina Preuss).

-linkii (Duby) Hughes in Canad. J. Bot., 36, p. 792, 1958. (Syn. Botrytis linkii Duby). - ochraceum (Corda) Hughes in Canad. J. Bot., 36, p. 792, 1958. (Syn. Chromelosporium ochraceum Corda).

Otthia helvetica (Weg.) Scheinpflug in Ber. schweiz. bot. Ges., 68, p. 376, 1958. (Syn. Amphisphaeria helvetica Weg.)

- taxi Wollenweber & Hochapfel in Z. Parasitenk., 12, 2, p. 191, 1941 on dry twigs and leaves of Cephalotaxus .- Italy.

Pachnocybe incerta (Karst.) Hughes in Canad. J. Bot., 36, p. 792, 1958. (Syn. Coniosporium incertum Karst.).

Paecilomyces persicinus Nicot in Bull. Soc. mycol. Fr., 74, p. 227, 1958, in sea-shore sand under Psamma arenaria.—France. Papulaspora acinosa (Berk. & Curt.) Hughes in Canad. J. Bot., 36, p. 793, 1958. (Syn. Sporidesmium acinosum Berk. & Curt.).

-- punctans (Schw.) Hughes in Canad. J. Bot., 36, p. 793, 1958. (Syn. Monilia punctans

Schw.).

Parodiella hedysari (Schw.) Hughes in Canad. J. Bot., 36, p. 793, 1958. (Syn. Didymosporium hedysari Schw.).

Parodiopsis gregaria Hino & Katumoto in Buil. Fac. Agric. Yamaguti Univ., 9, p. 881, 1958 on leaves of Sasa kurilensis.—Japan.

Pellicularia fodinarum Talbot & Green apud Talbot in *Bothalia*, 7, 1, p. 136, 1958 on underground timber.—South Africa.

Peniophora erumpens (Burt) Boidin in Bull. Soc. mycol. Fr., 74, 4, p. 469, 1959. (Syn.

Stereum erumpens Burt).

longispora (Pat.) Höhnel var. brachyspora Talbot & Green apud Talbot in Bothalia, 7, 1, p. 149, 1958 on underground timbers.—South Africa.

meridionalis Boidin in Bull. Soc. mycol. Fr., 74, 4, p. 456, 1959 on Quercus ilex.—

rufa (Fr.) Boidin in Bull. Soc. mycol. Fr., 74, 4, p. 443, 1959. (Syn. Thelephora rufa

Fr.).

Periconia elegans (Penz. & Sacc.) Hughes in Canad. J. Bot., 36, p. 794, 1958. (Syn. Campsotrichum elegans Penz. & Sacc.).

pycnospora Fresen. forma israelitica

Rayss & Borut in Mycopathologia, 10, 2,

p. 167, 1958 from soil.—Israel.

Peronospora achilleae Săvulescu & Vánky in Arch. Freunde Nat. Mecklenburg, 2 (1955/56), p. 347, 1956 on leaves of Achillea atrata and A. sp.—Rostov, U.S.S.R.

buhrii Săvulescu & Vánky [as 'buhri'] in Arch. Freunde Nat. Mecklenburg, 2 (1955/56), p. 355, 1956 on leaves of Ursinia anthemoides

and U. speciosa.—Rostov, U.S.S.R.

crucianellae Lindtner in Annu. Inst. biol. Sarajevo, 9, p. 129, 1956 on leaves of Crucia-nella angustifolia.—Yugoslavia. [Non P. crucianellae Maire, 1945 (this Index, 1, p. 168).]

— dimorphothecae Săvulescu & Vánky in Arch. Freunde Nat. Mecklenburg, 2 (1955/56), p. 350, 1956 on leaves of Dimorphotheca aurantiaca.—Rostov, U.S.S.R.

drabae-majusculae Lindtner in Annu. Inst. biol. Sarajevo, 9, p. 127, 1956 on leaves of Draba majuscula.—Yugoslavia.

hypericifoliae Sinha & Mathur [as 'hypercifoliae'] in Indian Phytopath., 11, p. 191, 1958 on leaves of Euphorbia hypericifolia.—India.

- ursiniae Săvulescu & Vánky in Arch. Freunde Nat. Mecklenburg, 2 (1955/56), p. 352, 1956 on leaves of Ursinia calenduliflora and U. pulchra.—Rostov, U.S.S.R.

Pestalotia macrozamiae Petrak [as 'Pestalozzia'] in Sydowia, 12 (1958), p. 51, 1959 on Macrozamia spiralis.—New South Wales,

Australia.

maculans (Corda) Hughes in Canad. J. Bot., 36, p. 795, 1958. (Syn. Sporocadus maculans Corda).

smilacis (Schw.) Hughes in Canad. J. Bot., 36, p. 795, 1958. (Syn. Coryneum smilacis Schw.).

Peyronelia arbuscula (Corda) Hughes in Canad. J. Bot., 36, p. 795, 1958. (Syn. Torula arbuscula Corda).

ramosa (Sacc.) Hughes in Canad. J. Bot., 36, p. 795, 1958. (Syn. Sirodesmium 1958. (Syn. Sirodesmium ramosum Sacc.).

rudis (Ehrenb.) Hughes in Canad. J. Bot., 36, p. 795, 1958. (Syn. Alternaria rudis Ehrenb., 1818, pre-starting point).

Pezizellaster herbarum Cash in Mycologia, 50, 5, p. 650, 1959 on dead stems of Urtica lyallii.—California, U.S.A.

Phacidium sieversiae E. Müller in Sydowia, 12 (1958), p. 207, 1959 on dead leaves of Sieversia montana.—French Alps.

Phaeociboria garryae Cash in Mycologia, 50, 5, p. 652, 1959 on dry leaves of Garrya elliptica.—California, U.S.A.

Phaeodothis muroiana Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 891, 1958 on leaves of Sasa nipponica and S. uinuizoana.—Japan.

Phaeoisaria clematidis (Fuckel) Hughes in Canad. J. Bot., 36, p. 795, 1958. (Syn.

Stysanus clematidis Fuckel).

Phakopsora candelabriae Viennot-Bourgin nom. nov. in *Uredineana*, 5, p. 190, 1958. (Syn. *Phakopsora brideliae* Viennot-Bourgin, 1955 [this Index, 2, pp. 247 and 284], non (Koord.) Arthur, 1917). On Bridelia ferruginea.

PHASCOLOMYCES Boedijn in Sydowia, 12 (1958), p. 349, 1959.—Mucorales. Sp. typ.:

P. articulosus.

- articulosus Boedijn in Sydowia, 12 (1958), p. 349, 1959 from soil and rat-dung.—Java.

Phellodon sinclairii (Berk.) G. H. Cunningham in Trans. roy. Soc. N.Z., 85, p. 590, 1958. (Syn. Hydnum sinclairii Berk.)

Phialea epibrya Höhnel var. subclaviformis Racovitza in Bull. Sect. sci. Acad. roum., 23 (1940-41), p. 572, 1942 on Hypnum cupressiforme.—Romania.

- umbellulariae Cash in Mycologia, 50, 5, p. 652, 1959 on dead leaves of Umbellularia

californica.—California, U.S.A.

Phialophora americana (Nannf.) Hughes in Canad. J. Bot., 36, p. 795, 1958. (Syn. Cadophora americana Nannf.).

gougerotii (Matruchot) Borelli in Acta Cient. Venez., 6, 2, p. 81, 1955. (Syn. Sporotrichum gougerotii Matruchot). †Phoma diedickei Vörös nom. nov. in Sydowia, **12** (1958), p. 249, 1959. (Syn. *Phoma artemisiae* Diedicke, 1915, non Kalchbr. & Cooke, 1880). On Artemisia.

Pospelov, eremuri Zaprometov apud Zaprometov & Domasheva in Грибная флора Киргизской ССР (Fungus Flora of Kirghiz SSR), Ser. 1 (Systematics and geographical distribution), p. 97, 1957 on stems of Eremurus altaicus.—Kirghiz S.S.R.

- sinobambusae Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 878, 1958 on dead culms of Sinobambusa tootsik.-

Phomatospora punctulata Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 898, 1958 on leaves of Pseudosasa japonica. -Japan.

Phomopsis artemisiae Vörös in Sydowia, 12 (1958), p. 248, 1959 on dry stems of

Artemisia vulgaris.—Hungary.

-xanthii Vörös in Sydowia, 12 (1958), p. 249, 1959 on dry stems of Xanthium strumarium.—Hungary.

Phragmidium sanguisorbae (DC.) Schroeter subsp. mediterraneum D. M. Henderson in Notes Roy. Bot. Gard. Edinb., 22, p. 600, 1958 on Poterium polygamum.—Spain.

Phragmocephala stemphylioides (Corda) Hughes in Canad. J. Bot., 36, p. 796, 1958. stemphylioides Helminthosporium Corda).

PHRAGMOSTILBE Subramanian in Mycopathologia, 10, 4, p. 351, 1959.—Moniliales.

Sp. typ.: P. linderi.
- linderi Subramanian in Mycopathologia, 10, 4, p. 352, 1959 on wet decayed Acer.— Massachusetts, U.S.A.

Phragmothyrium muroianum Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 884, 1958 on leaves of Pleioblastus hodensis.—Japan.

Phycomyces agaricicola Boedijn in Sydowia, 12 (1958), p. 335, 1959 on decayed Russula

and other Agaricaceae.—Java.

Phyllachora ectophytica Tilak in Sydowia, 12 (1958), p. 186, 1959 on leaves of 'Mesa' [Maesa] indica.—Mahabaleshwar, India.

Phyllosticta aecidiorum Petrak in Sydowia, 12 (1958), p. 50, 1959 on Puccinia saccardoi on Goodenia ovata.—New South Wales, Australia.

alternantherae Negru in Contr. Bot. Grad. bot. Cluj, p. 63, 1958 on leaves of Alternanthera purpurea and A. achyranthea.— Romania. [Non P. alternantherae Batista, 1952 (this Index, 2, p. 151).

-andropogonivora Sprague & Rogerson in Mycologia, 50, 5, p. 639, 1959 on leaves of Andropogon gerardii.—Kansas, U.S.A.

- caryae Ibrahimov & Achundov [as 'coryae'] in Izv. Akad. Nauk Azerbaidzh. S.S.R., 6, p. 40, 1956 on leaves of 'Corya' [Carya] olivaeformis.—Azerbaidzhan S.S.R. [Non Phyllosticta caryae Ell. & Ev., J. Mycol., 4, 10, p. 101, 1888, nec Peck ex Sacc., 1892, nec House, 1920.]

elettariae Chowdhury in Lloydia, 21, p. 152, 1958 on leaves of Elettaria carda-- elettariae

momum.—Assam, India. -tenebrosa H. C. Greene in Trans. Wis. Acad. Sci. Arts Lett., 47 (1958), p. 126, 1959 on leaves of Ranunculus septentrionalis. -Wisconsin, U.S.A.

pratima Chowdhury Phyllostictina |

Lloydia, 21, p. 153, 1958 on leaves of Premno bengalensis.—Assam, India.
-taxi (Fr.) Wollenweber & Hochapfel in

Z. Parasitenk., 12, 2, p. 192, 1941. (Syn Sphaeria taxi Fr.).

Physalospora dicalycis Hino & Katumoto apud Katumoto in Bull. Fac. Agric. Yamagut Univ., 9, p. 911, 1958 on leaves of Dicaly. lucida.—Japan.

Physarum mucosum Nennenga-Bremekamp in Acta bot. neerl., 7, p. 782, 1958.—Nether

lands.

Physopella africana (Cummins) Cummins & Ramachar in Mycologia, 50, 5, p. 742, 1959 (Syn. Angiopsora africana Cummins)

ampelopsidis (Diet. & P. Syd.) Cummins & Ramachar in Mycologia, 50, 5, p. 742, 1959 (Syn. Phakopsora ampelopsidis Diet. & P

-aurea (Cummins) Cummins & Ramacha in Mycologia, 50, 5, p. 742, 1959. (Syn Angiopsora aurea Cummins).

cameliae (Mayor) Cummins & Ramachas in Mycologia, 50, 5, p. 742, 1959. (Syn

Uredo cameliae Mayor).

clemensiae (Arthur & Cummins) Cumming & Ramachar in Mycologia, 50, 5, p. 742 1959. (Syn. Angiopsora clemensiae Arthur & Cummins).

compressa (Mains) Cummins & Ramacha in Mycologia, 50, 5, p. 742, 1959. (Syntangiopsora compressa Mains).

Cummins digitariae (Cummins) Ramachar in Mycologia, 50, 5, p. 742, 1959 (Syn. Angiopsora digitariae Cummins).

(Cummins) hansfordii Ramachar in *Mycologia*, **50**, 5, p. 742, 1959 (Syn. Phakopsora hansfordii Cummins).

hiratsukae (Syd.) Cummins & Ramacha [as 'hiratsuksae'] in Mycologia, 50, 5, p. 74:-1959. (Syn. Angiopsora hiratsukae Syd.).

lenticularis (Mains) Cummins & Ramacha in Mycologia, 50, 5, p. 743, 1959. Angiopsora lenticularis Mains). (Syi

melaena (Syd.) Cummins & Ramachar i Mycologia, 50, 5, p. 743, 1959. (Syil Phakopsora melaena Syd.).

- melinidis Cummins nom. nov. in Mycologi-50, 5, p. 743, 1959. (Syn. Angiopso-hansfordii Cummins, 1945, non Physopell-hansfordii (Cummins) Cummins & Ramachi [see above]). On Melinis tenuissima.

meliosmae (Kusano) Cummins Ramachar in Mycologia, 50, 5, p. 743, 1955 (Syn. Phakopsora meliosmae Kusano).

pallescens (Arthur) Cummins & Ramacha in Mycologia, 50, 5, p. 743, 1959. Puccinia pallescens Arthur).

phakopsoroides (Arthur Main . Cummins & Ramachar in Mycologia, 50, p. 743, 1959. (Syn. Puccinia phakopsoroid Arthur & Mains).

venezuelana (Syd.) Cummins & Ramacht in Mycologia, 50, 5, p. 743, 1959. (Sy

Phakopsora venezuelana Syd.).

wiehei (Cummins) Cummins & Ramache in Mycologia, 50, 5, p. 743, 1959. (Sy Angiopsora wiehei Cummins).

zeae (Mains) Cummins & Ramachar Mycologia, 50, 5, p. 743, 1959. (Syn. Angio

sora zeae Mains)

Phytophthora palmivora (Butler) Butl var. heveae (A. Thompson) Orellana Phytopathology, 49, p. 213, 1959. Phytophthora heveae A. Thompson).

[Phytophthora palmivora] var. theobromae (Coleman) Orellana in Phytopathology, 49, p. 212, 1959. (Syn. Phytophthora theobromae Coleman).

Pichia megalospora Kuraishi in Sci. Rep. Tôhoku Imp. Univ., 24, p. 111, 1958 from decomposing Collybia radicata.—Japan.

Pilobolus hyalosporus Boedijn in Sydowia, 12 (1958), p. 340, 1959 on sheep dung.-Java.

Piricauda paraguayensis (Speg.) R. T. Moore [as 'paraguayense'] in Mycologia, 50, 5, p. 691, 1959. (Syn. Stemphylium

paraguayense Speg.).
- pelagica T. W. Johnson Jr in J. Elisha
Mitchell sci. Soc., 74, p. 42, 1958 on sunken

driftwood.-North Carolina, U.S.A.

Piricularia musae Hughes [as 'Pyricularia'] nom. nov. in Canad. J. Bot., 36, p. 800, 1958. (Syn. Helminthosporium parasiticum Sacc. & Berl., 1889, non Piricularia parasitica Ell. & Ev., 1894).

*— oryzae Cav. var. trachydis Rao & Reddy [as 'trachysae'] in Sci. & Cult., 24, p. 134,

1958 on Trachys muricata.—India.

Pistillaria typhicola (Bourd. & Galz.) Corner, A Monograph of Clavaria and Allied Genera, p. 494, 1950. (Syn. Pistillaria aculina (Quel.) Pat. subsp. typhicola Bourd. & Galz.).

Plagiosphaera bhargavai E. Müller in Sydowia, 12 (1958), p. 180, 1959 on dead branches of Lonicera quinquelocularis.— Himalaya, India.

Plasmopara oplismeni Viennot-Bourgin in Bull. Soc. mycol. Fr., 75, p. 33, 1959 on leaves of Oplismenus compositus.—Guinea.

Platygloea opalina Talbot in Bothalia, 7, 1, p. 132, 1958 on branches of Acacia mollissima.—South Africa.

- unispora L. S. Olive, 1944 (this Index, 1, p. 110). Latin diagnosis in J. Elisha Mitchell

sci. Soc., 74, p. 41, 1958.

Pleurophragmium capense (Thüm.) Hughes in Canad. J. Bot., 36, p. 796, 1958. (Syn. Helminthosporium capense Thüm.).

- cylindricum Hughes [nom. nov., as '(Wallr.)'] in Canad. J. Bot., 36, p. 797, 1958. (Syn. Helminthosporium cylindricum Wallr., 1833 [non H. cylindricum Corda, 18317).

dorycarpum (Mont.) Hughes in Canad. J. Bot., 36, p. 797, 1958. (Syn. Helmintho-

sporium dorycarpum Mont.).

-- var. amazoniae (Hughes) Hughes in Canad. J. Bot., 36, p. 797, 1958. (Syn. Helminthosporium dorycarpum Mont. var. amazoniae Hughes).

-flumeanum (Sacc.) Hughes in Canad. J. Bot., 36, p. 797, 1958. (Syn. Helmintho-

sporium flumeanum Sacc.).

- guareicola (Stev.) Hughes in Canad. J. Bot., 36, p. 797, 1958. (Syn. Helmintho-sporium guareicola Stev.).

- leptotrichum (Cooke & Ell.) Hughes in Canad. J. Bot., 36, p. 797, 1958. (Syn. Helminthosporium leptotrichum Cooke & Ell.).

- maculosum (Sacc.) Hughes in Canad. J. Bot., 36, p. 797, 1958. (Syn. Helminthosporium maculosum Sacc.).

nodosum (Wallr.) Hughes in Canad. J. Bot., 36, p. 798, 1958. (Syn. Helminthosporium

nodosum Wallr.),

palmetto (Gerard) Hughes in Canad. J. Bot., 36, p. 798, 1958. (Syn. Helminthosporium palmetto Gerard).

- rousselianum (Mont.) Hughes in Canad. J. Bot., 36, p. 798, 1958. (Syn. Helminthosporium rousselianum Mont.).

- scopaeforme (Berk.) Hughes in Canad. J. Bot., 36, p. 798, 1958. (Syn. Cladosporium

scopaeforme Berk.).

simplex (Berk. & Br.) Hughes in Canad. J. Bot., 36, p. 798, 1958. (Syn. Acrothecium simplex Berk. & Br.). subuliferum (Corda) Hughes in Canad. J.

Bot., 36, p. 798, 1958. (Syn. Helmintho-

sporium subuliferum Corda).

Pleurotus myxotrichus Lév. var. bisporus Christiansen in Friesia, 6 (1957-58), 1-2, p. 10, 1959 on dead branches in frondose woods.—Jutland.

Batista, Costa PLOKAMIDOMYCES Ciferri in Publ. Inst. Mic. Univ. Recife, 90, p. 15, 1957 and in Atti Ist. bot. Univ. Pavia, Ser. 5, 15 (1957), p. 47, 1958.—Moniliales.

Sp. typ.: P. colensoi.

colensoi Batista, Costa & Ciferri in Publ. Inst. Mic. Univ. Recife, 90, p. 15, 1957 and in Atti Ist. bot. Univ. Pavia, Ser. 5, 15 (1957), p. 47, 1958 on leaves of 'Ionoleania' [Oleania] colorata.—New Zealand.

PODODIMERIA E. Müller in Sydowia, 12 (1958), p. 193, 1959.—Pyrenomycetes. Sp. typ.: P. gallica.

gallica E. Müller in Sydowia, 12 (1958),

p. 195, 1959 on leaves of Juniperus phoenicea. -Maritime Alps, France.

POLYCLADIUM Ingold in Trans. Brit. mycol. Soc., 42, p. 114, 1959.—Moniliales. Sp. typ.: P. equiseti.

equiseti Ingold in Trans. Brit. mycol. Soc., 42, p. 114, 1959 on submerged dead inter-

nodes of Equisetum fluviatile.—England.
Polyporus indicus Massee var. depauperatus Reid, Thind & Chatrath in Trans. Brit. mycol. Soc., 42, p. 40, 1959 on deciduous tree.—Mussoorie Hills, India.
— minutisporus Reid, Thind & Chatrath in

Trans. Brit. mycol. Soc., 42, p. 42, 1959 on stump of deciduous tree.-Mussoorie Hills,

India.

Polystigma uniloculare Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 887, 1958 on culms of Pseudosasa japonica. -Japan.

Poria ochroleuca (Berk.) Kotlaba & Pouzar in Čes. Mykol., 13, p. 33, 1959. (Syn. Polyporus ochroleucus Berk.).

ohiensis (Berk.) Kotlaba & Pouzar in Čes. Mykol., 13, p. 33, 1959. (Syn. Trametes ohiensis Berk.).

†Porogramme albocincta (Cooke & Massee) Lowe in *Lloydia*, **21**, p. 102, 1958. [Syn. *Poria albo-cincta* Cooke & Massee].

Propolidium californicum Cash in Mycologia, 50, 5, p. 653, 1959 on wood of Salvia leucophylla.—California, U.S.A.

shearii Cash in Mycologia, 50, 5, p. 654, 1959 on decorticated wood of Quercus.-California, U.S.A.

Psalliota nemoralis Sandor in Z. Pilzk., 24, p. 78, 1958 under frondose trees.—Germany. -radicata Vitt. var. crassanulata Sandor

in Z. Pilzk., 24, p. 80, 1958.—Germany. silvatica (Schaeff. ex Fries) Kummer forma maxima Sandor in Z. Pilzk., 24, p. 80, 1958.—Germany

Pseudocraterellus laeticolor Heinemann in Bull. Jard. bot. Brux., 28, p. 427, 1958.—

Belgian Congo.

Pseudohiatula albocapitata (Petch) Singer in Sydowia, 12 (1958), p. 72, 1959. (Syn. Marasmius albocapitatus Petch).

- cinnamomea (Dennis) Singer in Sydowia, 12 (1958), p. 76, 1959. (Syn. Collybia

cinnamomea Dennis).

Psilocybe caerulipes Peck var. gastonii Singer in Sydowia, 12 (1958), p. 236, 1959 on rotten trunk in Liquidambar forest.—Mexico.

- isauri Singer in Sydowia, 12 (1958), p. 237, 1959 on rotten trunks in Liquidambar forest.

-Mexico.

- sempervivae Heim & Cailleux, Nouvelles observations sur les agarics halluciogènes du Mexique, Paris, p. 29, 1 Sept. 1958, and in Rev. Mycol., Paris, N.S., 23, p. 352, 15 Oct. 1958.—Mexico.

†Pterula multifida Fr. var. densissima (Berk. & Curt.) Pilát in Acta Mus. nat. Prag., 14B, 3-4, p. 146, 1958. (Syn. Pterula densissima Berk. & Curt.).

Puccinia aulacospermi Gamalizkava in Trud. Inst. Bot. Kirghiz SSR, 4, p. 136, 1958 on leaves of Aulacospermum simplex.— Kirghiz S.S.R.

baccharidis-petiolatae Lindquist in Rev. Fac. Agron. La Plata, 34, p. 56, 1958, on leaves of Baccharis petiolata.—Argentina.

- baccharidis-polifoliae Lindquist in Rev. Fac. Agron. La Plata, 34, p. 50, 1958 on leaves and stems of Baccharis polifolia.— Argentina.

-bouinanensis Guyot apud Guyot Chevassut in *Uredineana*, 5, p. 393, 1958 on leaves of Centaurea algeriensis. - Algeria.

- catamarcensis Lindquist in Rev. Fac. Agron. La Plata, 34, p. 28, 1958 on leaves of Baccharis myrtilloides.—Argentina.

cutandiae Guyot in Uredineana, 5, p. 368, 1958, on leaves of Cutandia divaricata.-

Tunisia.

elata Lindquist in Rev. Fac. Agron. La Plata, 34, p. 55, 1958 on leaves of Baccharis.

Argentina.

- hieracii Mart. var. chlorocrepidis (Jacky) Jørstad, Uredinales of the Canary Islands (Skr. norske VidenskAkad., 1 Mat.-Naturv., 1958, No. 2), p. 63, 1958. (Syn. Puccinia chlorocrepidis Jacky).

-lagunensis Jørstad, Uredinales of the Canary Islands (Skr. norske VidenskAkad., 1 Mat.-Naturv., 1958, No. 2), p. 71, 1958 on leaves of *Cyperus longus*.—Tenerife,

Canary Islands.

- lilloana Lindquist in Rev. Fac. Agron. La Plata, 34, p. 62, 1958 on leaves of Baccharis

lilloi.—Argentina.

-longa Jørstad nom. nov. in Ark. Bot., Ser. 2, 4, 5, p. 93, 1959. (Syn. P. longispora Jørstad, 1956 [this Index, 2, p. 322], non McAlpine, 1905). On Vernonia pycnantha.

- maritima Gaumann in Uredineana, 5, p. 253, 1958 on leaves and stems of Crucia-

nella maritima.—France.

nevodovskii Gamalizkaya in Trud. Inst. Bot. Kirghiz SSR, 4, p. 135, 1958 on leaves of Galium boreale.—Kirghiz S.S.R.

- obliquoseptata Viennot-Bourgin 'obliquo-septata'] in Uredineana, 5, p. 219,

1958 on leaves of Olyra.—Brazil.

- pryorii Petrak in Sydowia, 12 (1958), p. 146, 1959 on leaves and petioles of Oreo-

myrrhis ciliata.—New South Wales, Australia.

ribesii-pendulae [sic] Hasler in Ber.
schweiz. bot. Ges., 55, p. 13, 1945; I on leaves

of Ribes alpinum, R. rubrum and R. aureum, II and III on leaves of Carex pendula and C. gracilis.—Switzerland.

riobambensis Jørstad in Ark. Bot., Ser. 2, 4, 5, p. 83, 1959 on Ranunculus cymbalaria.-

Ecuador

- saltensis Lindquist in Rev. Fac. Agron. La Plata, 34, p. 25, 1958 on leaves of Baccharis pseudotridentata.—Argentina. sanctae-balmae Massenot in Uredineana.

5, p. 337, 1958 on leaves of Serratula nudicaulis.—France.

- separabilis Lindquist in Rev. Fac. Agron. La Plata, 34, p. 72, 1958 on leaves of Baccharis.—Bolivia.

serrulatae Lindquist in Rev. Fac. Agron. La Plata, 34, p. 27, 1958 on leaves of Baccharis

serrulata.--Uruguay

subtropica Lindquist in Rev. Fac. Agron. La Plata, 34, p. 43, 1958 on leaves of Baccharis.—Argentina.

urticae-elatae Halser in Ber. schweiz. bot. Ges., 55, p. 10, 1945; I on leaves and stems of Urtica dioica, II and III on leaves and stems of Carex elata, C. fusca and C. gracilis. -Switzerland.

urticae-flaccae Hasler in Ber. schweiz. bot. Ges., 55, p. 5, 1945; I on leaves and stems of Urtica dioica, II and III on leaves

of Carex flacca .- Switzerland.

urticae-ripariae Halser in Ber. schweiz. bot. Ges., 55, p. 8, 1945; I on leaves of Urtica dioica, II and III on leaves of Carex riparia. -Switzerland.

urticae-umbrosae Hasler in Ber. schweiz. bot. Ges., 55, p. 6, 1945; I on leaves of Urtica dioica, II and III on leaves of Carex umbrosa.

-Switzerland.

Pullularia fermentans Wynne & Gott var. candida Yoneyama in Bot. Mag. Tokyo, 72, p. 97, 1959 from rutin solution.—Japan.

Punctularia strigosozonata (Schw.) Talbot [as 'strigoso-zonata'] in Bothalia, 7, 1, p. 143, 1958. (Syn. Merulius strigoso-zonata Schw.).

Pyrenopeziza arctostaphyli E. Müller in Sydowia, 12 (1958), p. 421, 1959 on dry leaves of Arctostaphylos uva-ursi.—Switzer-

- linicola E. Müller in Sydowia, 12 (1958), p. 423, 1959 on dry stems of Linum alpinum. -France.

RADIOMYCES Embree in Amer. J. Bot., 46, p. 25, 1959.—Mucorales. Sp. typ.: R. spectabilis.

spectabilis Embree in Amer. J. Bot., 46, p. 25, 1959 from lizard dung.—California, U.S.A.

Ramaria velenovskyl Pilát in Acta Mus. nat. Prag., 14B, 3-4, p. 177, 1958.—Czechoslovakia.

*Ramularia deusta (Fuckel) Baker, Snyder & Davis forma latifolii Baker, Snyder & Davis, in Mycologia, 42, p. 417, 1950 on Lathyrus latifolius.—California, U.S.A.

forma odorati Baker, Snyder & Davis in Mycologia, 42, p. 417, 1950 on Lathyrus

odoratus.—California, U.S.A.

- parva H. C. Greene in Trans. Wis. Acad. Sci. Arts Lett., 47 (1958), p. 115, 1959 on leaves of Hieracium longipilum.—Wisconsin,

-wisconsina H. C. Greene in Amer. Midl. Nat., 44, 3, p. 641, 1951 on leaves of Erechtites hieracifolia.-Wisconsin, U.S.A.

Rebentischia brevicaudata Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 132, 1958 on dry leaves of Stipa tenacissima.—Tunisia.

Reticularia intermedia Nannenga-Bremekamp in Acta bot. neerl., 7, p. 773, 1958.

-Netherlands.

Bulliard var. americana -lycoperdon Nannenga-Bremekamp in Acta bot. neerl., 7,

p. 773, 1958.—Iowa, U.S.A.

Rhinocladiella anceps (Sacc. & Ell.) Hughes in Canad. J. Bot., 36, p. 801, 1958. (Syn. Sporotrichum anceps Sacc. & Ell.).

Rhinocladium lignicola (Sace.) Hughes in Canad. J. Bot., 36, p. 801, 1958. (Syn. Trichosporium nigricans Sacc. forma ligni-

cola Sacc.).

Rhinotrichum trachycarpum Wolf in J. Elisha Mitchell sci. Soc., 74, p. 166, 1958 in culture from ascospores of Lamprospora trachycarpa (Curr.) Seaver from greenhouse soil.—North Carolina, U.S.A. Lamprospora trachycarpa.)

Rhizoctonia rubi McKeen in Canad. J. Plant Sci., 39, p. 82, 1959 on fruits of Rubus loganobaccus and R. parviflorus.—British

Columbia, Canada.

Rhizophydium contractophilum Canter [as 'Rhizophidium'] in Trans. Brit. mycol. Soc., 42, p. 185, 1959 on Eudorina elegans in plankton.-England.

difficile Canter, 1954 (this Index, 2, p. 175), was published without Latin diagnosis.

*- oblongum Canter, 1954 (this Index, 2, was published without Latin diagnosis.

*_ patellarium Scholz in Arch. Mikrobiol., 29, p. 359, 1958 from pollen.—Germany.

* uniguttulum Canter, 1954 (this Index, 2, p. 175), was published without Latin diagnosis.

RHIZOPODOPSIS Boedijn in Sydowia, 12 (1958), p. 331, 1959.—Mucorales. Sp. typ.: R. javensis.

- javensis Boedijn in Sydowia, 12 (1958), p. 332, 1959 on fallen fruits of Elaeagnus.-

Java.

Rhizopus artocarpi (Berk. & Br.) Boedijn in Sydowia, 12 (1958), p. 328, 1959. (Syn. Mucor artocarpi Berk. & Br.). [A later homonym of Rhizopus artocarpi Raciborski,

- chlamydosporus Boedijn nom. nov. in Sydowia, 12 (1958), p. 329, 1959. (Syn. Chlamydomucor oryzae Went & Geerl., 1895, non Rhizopus oryzae Went & Geerl., 1895).

- megasporus Boedijn in Sydowia, 12 (1958),

p. 328, 1959 from soil.—Java.

*Rhizosiphon akinetum Canter, 1954 (this Index, 2, p. 175), was published without

Latin diagnosis.

Rhodocybe gilvoides (Rick) Singer var. convexa Singer in Sydowia, 12 (1958), p. 242, 1959 on rotting log in coffee plantation.—Mexico.

Rhynchosporina tridentis Sprague & Rogerson in Mycologia, 50, 5, p. 634, 1959 on leaves of Tridens flavus.—Kansas, U.S.A.

Robillarda phragmitis Cunnell in Trans. Brit. mycol. Soc., 41, p. 405, 1958 from submerged dead stems of Phragmites communis .- England.

Rosellinia muroiana Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 893, 1958 on dead culms of Sasa nipponica.-

Japan.

Russula sericatula Romagnesi in Bull. mens. Soc. linn. Lyon, 27, p. 287, 1958 under frondose trees.—France.

Rutstroemia hirsuta Dennis in Kew Bull., 1958, p. 460, 1959 on rotten petiole.—

Bolivia.

Saccharomyces smittii Capriotii in Leeuwenhoek ned. Tijdschr., 24, p. 219, 1958 from soil.—Italy.

Sarcopodium fulvescens (Sacc. & Fautr.) Hughes in Canad. J. Bot., 36, p. 802, 1958. (Syn. Circinotrichum fulvescens Sacc. & Fautr.).

tortuosum (Wallr.) Hughes in Canad. J. Bot., 36, p. 802, 1958. (Syn. Sporotrichum tortuosum Wallr.).

SCHELEOBRACHEA Hughes in Canad. J. Bot., 36, p. 802, 1958.—Moniliales. Sp. typ.: S. echinulata.

echinulata (Speg.) Hughes in Canad. J. Bot., 36, p. 802, 1958. (Syn. Sporidesmium echinulatum Speg.).

-maydica (Sacc.) Hughes in Canad. J. Bot., 36, p. 802, 1958. (Syn. Clasterosporium

maydicum Sacc.).

philippina (Sacc.) Hughes in Canad. J. Bot., 36, p. 802, 1958. (Syn. Septonema philippinum Sacc.).

quadrata (Atk.) Hughes in Canad. J. Bot., 36, p. 802, 1958. (Syn. Sporidesmium quadratum Atk.).

- sacchari (Speg.) Hughes in Canad. J. Bot., (Syn. Sporidesmium **36**, p. 802, 1958. sacchari Speg.).

Schizostoma muroianum Hino & Katumoto [as 'muroiana'] in Bull. Fac. Agric. Yamaguti Univ., 9, p. 895, 1958 on dead culms of Phyllostachys bambusoides var. marliacea. -Japan.

Scolecodothis kamatii Tilak in Sydowia, 12 (1958), p. 186, 1959 on indet. leaf.—India.

Scopulariopsis asperula (Sacc.) Hughes in Canad. J. Bot., 36, p. 803, 1958. (Syn. Torula asperula Sacc.).

stercoraria (Link) Hughes in Canad. J. Bot., 36, p. 803, 1958. (Syn. Sporotrichum stercorarium Link, 1818, pre-starting point).

Sebacina epigaea (Berk. & Br.) Bourd. & Galz. var. bicolor L. S. Olive, 1944 (this Index, 1, p. 111), without Latin diagnosis. Latin diagnosis in J. Elisha Mitchell sci. Soc., 74, p. 41, 1958.

- sordida L. S. Olive, 1944 (this *Index*, 1, p. 111). Latin diagnosis in *J. Elisha Mitchell*

sci. Soc., 74, p. 41, 1958.

Septobasidium ramorum (Schw.: Fr.) Donk in Taxon, 7, p. 164, 1958. (Syn. Racodium ramosum [sic] Schw., 1822,
— Oedemium ramorum [sic] (Schw.) Fr., 1832).

Septogloeum johannesii Vörös nom. nov. in

Bot. Közl., 47, 3-4, p. 349, 1958. (Syn. Septogloeum populiperdum Johannes, 1951 [this Index, 2, p. 62], non S. populiperdum Moesz & Smarods, 1932). On Populus.

Septonema fasciculare (Corda) Hughes in Canad. J. Bot., 36, p. 803, 1958. (Syn. Helminthosporium fasciculare Corda).

-solaninum (Sacc. & Syd.) Hughes in Canad. J. Bot., 36, p. 804, 1958. (Syn. Helminthosporium solaninum Sacc. & Syd.).

- tetracoilum (Corda) Hughes in Canad. J. Bot., 36, p. 804, 1958. (Syn. Fusoma tetracoilum Corda).

Septoria batistae Matta in Bol. Inst. biol.

Bahia, 2, p. 13, 1955 on leaves of Achras sapota.-Brazil.

[Septoria] caesuliae Edward & Naim in Sci. & Cult., 23, p. 617, 1958 on leaves of Caesulia axillaris.—Allahabad, India.

- inclusa H. C. Greene in Amer. Midl. Nat., 44, 3, p. 640, 1951 on leaves of Parthenium integrifolium.—Wisconsin, U.S.A.

- nilgiriensis Tilak in Mycopathologia, 10, 3, p. 217, 1959 on leaves of Artemisia nilgirica.—India. (Presumed conidial Mycosphaerella artemisiae.)

-tageticola Changsri & Weber in Phytopathology, 48, p. 561, 1958 on stems and leaves of Tagetes erecta.—Florida, U.S.A.

SINGERIELLA Petrak in Sydowia, (1958), p. 252, 1959.—Entopeltaceae. Sp. typ.: S. peruviana.

- peruviana Petrak in Sydowia, 12 (1958), o. 253, 1959 on living and dead leaves of Polylepis incana.—Peru. (Conidia: Chryso-

gloeum peruvianum.)

Sirodesmium olivaceum (Link ex Fr.) Tubaki in J. Hattori bot. Lab., 20, p. 171, 1958. (Syn. Coniosporium olivaceum Link

Sirothecium tinctum (Peck) Hughes in Canad. J. Bot., 36, p. 805, 1958. (Syn.

Cheiromyces tinctus Peck).

Sorocybe tenella (Karst.) Hughes in Canad. J. Bot., **36**, p. 805, 1958. (Syn. Trichosporum tenellum Karst.).

SPADICOIDES Hughes in Canad. J. Bot., 36, p. 805, 1958.—Moniliales. Sp. typ.:

S. bina.

— atra (Corda) Hughes [as 'atrum'] in Canad. J. Bot., 36, p. 805, 1958. (Syn. Psilonia atra Corda).

- bina (Corda) Hughes [as 'binum'] in Canad. J. Bot., 36, p. 806, 1958. (Syn.

Helminthosporium binum Corda).

- clavariarum (Desm.) Hughes in Canad. J. Bot., 36, p. 806, 1958. (Syn. Helminthosporium clavariarum Desm.).

mitrata (Penz. & Sacc.) Hughes [as 'mitratum'] in Canad. J. Bot., 36, p. 806, 1958. (Syn. Cladotrichum mitratum Penz. & Sacc.).

- obovata (Cooke & Ell.) Hughes [as 'obovatum'] in Canad. J. Bot., 36, p. 806, 1958.

(Syn. Acrothecium obovatum Cooke & Ell.).

— xylogena (A. L. Smith) Hughes [as 'xylogenum'] in Canad. J. Bot., 36, p. 806, 1958. (Syn. Spondylocladium xylogenum A. L. Smith).

Sparassis simplex Reid in Trans. Brit. mycol. Soc., 41, p. 439, 1958 on coniferous debris amongst Calluna.—England.

SPEIROPSIS Tubaki in J. Hattori bot. Lab., 20, p. 171, 1958.—Moniliales. Sp. typ.: S. pedatospora.

- pedatospora Tubaki in J. Hattori bot. Lab., 20, p. 171, 1958 on dead leaves of Erio-

botrya japonica.—Japan.

Sphaerophragmium guineense Viennot-Bourgin in Bull. Soc. bot. Fr., 105, 9-10, p. 501, 1959 on leaves of Dalbergia saxatilis. -Guinea.

Sphaeropsis astericola H. C. Greene in Trans. Wis. Acad. Sci. Arts Lett., 47 (1958), p. 126, 1959 on leaves of Aster shortii.—Wisconsin, U.S.A.

Sphaerulina hederae Chona, Munjal & Bajaj in Indian Phytopath., 11, p. 173, 1958 on leaves of Hedera nepalensis. - Punjab, India.

— phyllostachydis Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 903, 1958 on dead culms of Phyllostachys bambusoides.—Japan. Sphenospora dalbergiellae Viennot-Bourgin

in Bull. Soc. bot. Fr., 105, 9-10, p. 505, 1959 on leaves of Dalbergiella welwitschii. - Guinea. Spilocaea crataegi (Pers.) Hughes in Canad. J. Bot., 36, p. 807, 1958. (Syn. Actinonema

crataegi Pers.).

Spongospora subterranea (Wallr.) Lagerh. forma specialis nasturtii Tomlinson in Trans. Brit. mycol. Soc., 41, p. 498, 1958 on Nasturtium officinale × N. microphyllum. -England.

Sporidesmium brachypus (Ell. & Ev.) Hughes in Canad. J. Bot., 36, p. 807, 1958. (Syn. Helminthosporium brachypus Ell. &

- campiniae Rambelli nom. nov. in R. C. Accad. Bologna (Fis.), Ser. XI, 5, p. 14 [of separate], 1958. (Syn. S. elegans Rambelli, 1957 [see below], non Corda, 1837).

caricinum (Schw.) R. T. Moore in Mycologia, 50, 5, p. 689, 1959. (Syn. Clasteri-

sporium caricinum Schw.).

- cordaceum Hughes nom. nov. in Canad. J. Bot., 36, p. 807, 1958. (Syn. Helminthosporium curvatum Corda, non Sporidesmium

curvatum Berk. & Curt.)

elegans Rambelli in R.C. Accad. Bologna (Fis.), Ser. XI, 4, p. 196, 1957 on rotten wood of Abies alba .- Italy. [Non S. elegans Corda, 1837: see S. campiniae Rambelli,

globuligerum Hino & Katumoto fas 'Sporodesmium'] in Bull. Fac. Agric. Yamaguti Univ., 9, p. 880, 1958 on leaves of Pleioblastus nezasa. Japan.

- hyalophaeum (Sacc.) Hughes in Canad. J. Bot., 36, p. 808, 1958. (Syn. Helmintho-

sporium hyalophaeum Sacc.)

- lanceolatum (Cooke) Hughes in Canad. J. Bot., 36, p. 808, 1958. (Syn. Helminthosporium lanceolatum Cooke).

leptosporum (Sacc. & Roum.) Hughes in Canad. J. Bot., 36, p. 808, 1958. (Syn. Helminthosporium leptosporum Sacc. Roum.)

macrotrichum (Corda) Hughes in Canad. J. Bot., 36, p. 808, 1958. (Syn. Helminthosporium macrotrichum Corda).

- nodipes (Penz. & Sacc.) Hughes in Canad. J. Bot., 36, p. 809, 1958. (Syn. Helminthosporium nodipes Penz. & Sacc.).

-subcaudatum (Cooke) Hughes in Canad. J. Bot., 36, p. 809, 1958. (Syn. Helmintho-

sporium subcaudatum Cooke).

- theae (Bern.) Hughes in Canad. J. Bot., 36, p. 809, 1958. (Syn. Helminthosporium theae Bern.)

Sporobolomyces marcillae Santa María in Arch. Mikrobiol., 32, p. 30, 1958 from air.—

SPORODINIELLA Boedijn in Sydowia, 12 (1958), p. 336, 1959.—Mucorales. Sp. typ.: S. umbellata.

umbellata Boedijn in Sydowia, 12 (1958), p. 336, 1959 on remains of ?Microlepidoptera.—Sumatra.

Sporotrichum verticillatum Neophytova, 1955 (this Index, 2, p. 403), is a later homonym of Sporotrichum verticillatum Sprengel in Linn. Syst. Veg., 16, 4 (1), p. 548, 1827.

Stachybotrys atra Corda var. cylindrospora (Jensen) Rayss & Borut in Mycopathologia, 10, 2, p. 168, 1958. (Syn. Stachybotrys cylindrospora Jensen).

chartarum (Ehrenb.) Hughes in Canad. J. Bot., 36, p. 812, 1958. (Syn. Stilbospora chartarum Ehrenb., 1818, pre-starting point: = Oidium chartarum [Ehrenb.] Link, 1824).

Stachylidium verticillatum (Pers.) Hughes in Canad. J. Bot., 36, p. 813, 1958. (Syn. Dematium verticillatum Pers., 1801, prestarting point).

Stagonospora celtidis (Ell. & Mart.) H. C. Greene in Amer. Midl. Nat., 44, 3, p. 639, 1951. (Syn. Phleospora celtidis Ell. & Mart.).

- subchlorinoflavida Sprague & Rogerson in Mycologia, 50, 5, p. 640, 1959 on leaves of Bouteloua curtipendula.—Kansas, U.S.A.

tridentis Sprague & Rogerson in Mycologia, 50, 5, p. 640, 1959 on leaves of Tridens

flavus.-Kansas, U.S.A.

Steccherinum fistulatum G. H. Cunningham in Trans. roy. Soc. N.Z., 85, p. 598, 1958 on bark of dead stems (type on Casuarina).-North Queensland, Australia.

- resupinatum G. H. Cunningham in Trans. roy. Soc. N.Z., 85, p. 596, 1958 on bark and decorticated wood (type on Coprosma australis).-New Zealand.

Steganosporium celtidis (Syd.) R. T. Moore

in Mycologia, 50, 5, p. 685, 1959. (Syn. Sporidesmium celtidis Syd.).

-foliicola (Desm.) R. T. Moore [as 'foliicolum'] in Mycologia, 50, 5, p. 685, 1959. (Syn. Sporidesmium foliicolum [sic] Desm.).

lycii (Kalchbr.) R. T. Moore in Mycologia, 50, 5, p. 684, 1959. (Syn. Sciniatosporium lycii Kalchbr.). [Non Steganosporium lycii Zerova, 1956 (this *Index*, **2**, p. 325).] - myrianum (Desm.) R. T. Moore in *Myco*-

logia, 50, 5, p. 683, 1959. (Syn. Sporidesmium myrianum Desm.).

ovatum (Pers. ex Mérat) Hughes [as 'Stegonosporium'] in Canad. J. Bot., 36, p. 813, 1958. (Syn. Stilbospora ovata Pers. ex Mérat). Stemonitis brasiliensis Farr & G. W. Martin

in Broteria, N.S., 27, p. 156, 1958.—Brazil. Stemphylium heterosporum (Desm.) Buchwald, 1958 (this Index, 2, p. 449), is a later homonym of Stemphylium heterosporum

D. Sacc., 1896.

-melanopus (Schw.) Hughes in Canad. J. Bot., 36, p. 813, 1958. (Syn. Dactylium melanopus Schw.).

macrocarpa (Corda) Sterigmatobotrys Hughes in Canad. J. Bot., 36, p. 814, 1958. (Syn. Graphium macrocarpum Corda).

Stictis myricae Cash in Mycologia, 50, 5, p. 655, 1959 on leaves of Myrica californica.

-California, U.S.A.

Stigmatodothis fici-nipponicae Hino & Katumoto apud Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 910, 1958 on leaves of Ficus nipponica.—Japan.

- sasae (Hara) Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 883, 1958. (Syn. Sphaerulina sasae Hara, 1922, without Latin diagnosis). Latin diagnosis now supplied.

Stigmella effigurata (Schw.) Hughes in Canad. J. Bot., 36, p. 814, 1958. (Syn. Coryneum effiguratum Schw.).

Stigmina dura (Sacc.) Hughes in Canad. J. Bot., 36, p. 814, 1958. (Syn. Exosporium durum Sacc.).

- glomerulosa (Sacc.) Hughes in Canad. J. Bot., 36, p. 814, 1958. (Syn. Sporidesmium glomerulosum Sacc.).

pusilla (Karst.) Hughes in Canad. J. Bot., 36, p. 814, 1958. (Syn. Exosporium pusillum

stromatoidea (Dearn.) Hughes in Canad. J. Bot., 36, p. 814, 1958. (Syn. Helminthosporium stromatoideum Dearn.).

Stilbum haustellare (Achar.) Hughes in Canad. J. Bot., 36, p. 815, 1958. (Syn. Calicium haustellare Achar., 1816, pre-starting point).

Strasseria nigra Dearness ex Parmelee in Canad. J. Bot., 36, p. 878, 1958 on leaves of Pyrola secunda.—Washington Co., N.Y.,

U.S.A.

Suillus collinitus (Fr.) Moser, 1955 (this Index, 2, p. 325). Combination already made by O. Kuntze in Revisio Generum Plantarum, 3, 2, p. 535, 1898.
- rubinus (W. G. Smith) Singer, 1951 (this

Index, 2, p. 89). Combination already made by O. Kuntze in Revisio Generum Plantarum,

3, 2, p. 536, 1898.

SYMPODIELLA Kendrick in Trans. Brit. mycol. Soc., **41**, p. 519, 1958.—Moniliales. Sp. typ.: S. acicola.

- acicola Kendrick in Trans. Brit. mycol. Soc., 41, p. 519, 1958 on decaying needles of Pinus sylvestris.—England.

Syncephalis truncata Boedijn in Sydowia, 12 (1958), p. 353, 1959 on Pilobolus kleinii.-

SYNCEPHALOPSIS Boidijn in Sydowia, 12 (1958), p. 353, 1959.—Mucorales. Sp. typ.:

S. bispora. -bispora (Rac.) Boedijn in Sydowia, 12 (1958), p. 353, 1959. (Syn. Syncephalis

bispora Rac.).

*Synchytrium perforatum Karling in Bull. Torrey bot. Cl., 82, p. 221, 1955 on leaves, petioles and stems of Valeriana sitchensis, Valerianella congesta and V. stenocarpa.— U.S.A. (S. perforatum Ellis, nom. nud.).

TAENIOLELLA Hughes in Canad. J. Bot., 36, p. 816, 1958.—Moniliales. Sp. typ.:

T. exilis.

-alta (Ehrenb.) Hughes in Canad. J. Bot., 36, p. 817, 1958. (Syn. Hormiscium altum Ehrenb., 1818, pre-starting point: = Torula alta [Ehrenb.] Pers., 1822).

- breviuscula (Berk. & Curt.) Hughes in Canad. J. Bot., 36, p. 817, 1958. (Syn. Septonema breviusculum Berk. & Curt.).

curvata (Peck) Hughes in Canad. J. Bot., 36, p. 817, 1958. (Syn. Torula curvata Peck). exilis (Karst.) Hughes in Canad. J. Bot., 36, p. 817, 1958. (Syn. Septonema exilis

Karst.). faginea (Fuckel) Hughes in Canad. J. Bot.,

36, p. 817, 1958. (Syn. Torula faginea Fuckel).

multiplex (Berk. & Curt.) Hughes in Canad. J. Bot., 36, p. 817, 1958. (Syn. Septonema multiplex Berk. & Curt.).

muricata (Ell. & Ev.) Hughes in Canad. J. Bot., 36, p. 817, 1958. (Syn. Dendryphion

muricatum Ell. & Ev.).
- plantaginis (Corda) Hughes in Canad. J. Bot., 36, p. 817, 1958. (Syn. Torula plantaginis Corda).

rudis (Sacc.) Hughes in Canad. J. Bot., 36, p. 817, 1958. (Syn. Septonema rude Sacc.). [Taeniolella] scripta (Karst.) Hughes in Canad. J. Bot., 36, p. 817, 1958. (Syn. Hormiscium scriptum Karst.).

- stilbospora (Corda) Hughes in Canad. J. Bot., 36, p. 817, 1958. (Syn. Torula stilbo-

spora Corda).

- stricta (Corda) Hughes in Canad. J. Bot., 36, p. 817, 1958. (Syn. Septonema strictum Corda).

- subsessilis (Ell. & Ev.) Hughes in Canad. J. Bot., **36**, p. 817, 1958. (Syn. Dendryphion subsessile Ell. & Ev.).

vermicularis (Corda) Hughes in Canad. J. Bot., 36, p. 818, 1958. (Syn. Torula vermicu-

laris Corda).

Telimena haraeana Hino & Katumoto nom. nov. apud Katumoto in *Bull. Fac. Agric. Yamaguti Univ.*, 9, p. 915, 1958. (Syn. *Telimena arundinariae* Hara, 1927, non Doidge, 1922). On Pleioblastus simoni,

Thaxterogaster conicus (Hesler) Singer & A. H. Smith [as 'conicum'] in Brittonia, 10, p. 214, 1958. (Syn. Secotium conicum Hesler)

-leucocephalus (Massee) Singer & A. H. Smith [as 'leucocephalum'] in Brittonia, 10, p. 210, 1958. (Syn. Secotium leucocephalum Massee).

- pinguis (Zeller) Singer & A. H. Smith [as 'pingue'] in Brittonia, 10, p. 211, 1958. (Syn. Secotium pingue Zeller).

Thecaphora bulbinellae Talbot in Bothalia, 7, 1, p. 111, 1958 in ovaries of Bulbinella setosa .- South Africa.

Thielavia terricola (Gilman & Abbott) Emmons forma minor Rayss & Borut in Mycopathologia, 10, 2, p. 160, 1958 from soil.—Israel.

*Thraustochytrium pachydermum Scholz in Arch. Mikrobiol., 29, p. 361, 1958 from

pollen.-Germany

Tilletia ehrhartae Talbot in Bothalia, 7, 1, p. 110, 1958 in ovaries of Ehrharta calycina. South Africa.

Torula ambrosiae (Peck) Hughes in Canad. J. Bot., 36, p. 818, 1958. (Syn. Hormiscium ambrosiae Peck).

-elaeodes (Pound & Clem.) Hughes in Canad. J. Bot., 36, p. 818, 1958. (Syn. Clasterosporium elaeodes Pound & Clem.).

Torulopsis ingeniosa di Menna in J. gen. Microbiol., 19, p. 581, 1958 from pasture grass leaves.—Hamilton, New Zealand. pseudaeria Zsolt in Leeuwenhoek

Tijdschr., 24, p. 213, 1958 from vineyard

soil .-- Hungary

Tremella grandibasidia L. S. Olive, 1944 (this Index, 1, p. 112). Latin diagnosis in J. Elisha Mitchell sci. Soc., 74, p. 41, 1958.

Tremellodendron candicans (Fr.) Donk in Taxon, 7, p. 164, 1958. (Syn. Thelephora candicans Fr., 1832, \equiv Merisma candidum Schw., 1822, non Thelephora candida Schw. ex Fr.).

Tremiscus helvelloides (DC. ex Fr.) Donk in Taxon, 7, p. 164, 1958. (Syn. Tremella

helvelloides DC. ex Fr.).

Trichoderma sporulosum (Link) Hughes in Canad. J. Bot., 36, p. 820, 1958. (Syn. Aleurisma sporulosum Link, 1809, pre-starting point)

Trichodiscus sedi E. Müller in Sydowia, 12 (1958), p. 427, 1959 on dry stalks of Sedum

roseum.-France

Tricholoma fumidellum (Peck) Hesler in J. Tenn. Acad. Sci., 33, p. 188, 1958. (Syn. Agaricus (Tricholoma) fumidellus Peck).

*- hygrophorus Josserand [as 'Tricholoma (Dermoloma)'] in Bull. Soc. mycol. Fr., 74. 4, p. 482, 1959.—France. [See also T. (Murr.) Murrill, 1944 (this hygrophorus Index, 1, p. 125).]

pseudosaponaceum Hásek in C.C.H. mykol. Sborn., 35, 9-10, p. 139, 1959.

Czechoslovakia.

- striatifolium (Peck) Hesler in J. Tenn. Acad. Sci., 33, p. 189, 1958. (Syn. Agaricus (Tricholoma) striatifolius Peck).

Trichosporon hellenicum Verona & Picci in Ann. Microbiol. Enzimol., Fasc. 1-5, 8, p. 107, 1958 from fermenting must.—Greece.

TRICHOPELTHECA Batista, Costa & Ciferri in Publ. Inst. Mic. Univ. Recife, 90, p. 12, 1957 and in Atti Ist. Bot. Univ. Pavia, Ser. 5, **15** (1957), p. 44, 1958.—Hemisphaeriales: Trichopeltinaceae. Sp. typ.: \hat{T} . asiatica.

- asiatica Batista, Costa & Ciferri in Publ. Inst. Mic. Univ. Recife, 90, p. 13, 1957 and in Atti Ist. bot. Univ. Pavia, Ser. 5, 15 (1957), p. 45, 1958 on leaves of 'Ionoleania' [Oleania]

colorata.-New Zealand.

Truncatella angustata (Pers. Hughes in Canad. J. Bot., 36, p. 822, 1958. (Syn. Stilbospora angustata Pers. ex Link).

Tryblidaria californica Cash in Mycologia, 50, 5, p. 655, 1959 on stems of Compositae.—

California, U.S.A.

Tryblidium tunetanum Guyot in Ann. Serv. bot. Tunis, 28 (1955), p. 134, 1958 on wood of Lonicera implexa.—Tunisia.

Tuber texense Heimsch in Mycologia, 50,

5, p. 657, 1959.—Texas, U.S.A.

Tyromyces mollis ([Pers.] Fr.) Kotlaba & Pouzar in Čes. Mykol., 13, p. 30, 1959. (Syn. Polyporus mollis [Pers.] Fr.).

stipticus ([Pers.] Fr.) Kotlaba & Pouzar in Ces. Mykol., 13, p. 28, 1959. (Syn. Polyporus stipticus [Pers.] Fr.).

Uncinula paradoxa Simonjan in Izv. Acad. Sci. Armen. SSR, 12, 2, p. 88, 1959 on leaves of Acer assyriacum.—Armenian S.S.R.

- religiosa Ramakrishnan in Proc. Indian Acad. Sci., Sect. B, 49, p. 124, 1959 on leaves

of Ficus religiosa. South India.

Uredo arenariae-ciliatae Dupias in Uredineana, 5, p. 301, 1958 on leaves of Arenaria ciliata.—France.

- breventiaca Guyot & Massenot in Uredineana, 5, p. 456, 1958 on leaves of Crepis

aurea .- France.

- clerodendrina Viennot-Bourgin nom. nov. in Uredineana, 5, p. 230, 1958. (Syn. Uredo clerodendricola Viennot-Bourgin, 1955 [this Index, 2, pp. 253 and 293], non P. Henn., 1902). On Clerodendron buchholzii.

colchici-autumnalis Guyot & Massenot in Uredineana, 5, p. 498, 1958 on leaves of

Colchicum autumnale.—France.

- haitiensis Jørstad in Ark. Bot., Ser. 2, 4, 5, p. 75, 1959 on Bauhinia divaricata.-

-harunganae Viennot-Bourgin in Bull. Soc. mycol. Fr., 75, p. 35, 1959 on leaves of Harungana madagascariensis.—Guinea.

- psorospermi Viennot-Bourgin in Bull. Soc. mycol. Fr., 75, p. 35, 1959 on leaves of Psorospermum .- Guinea.

- viegasii Jørstad in Ark. Bot., Ser. 2, 4, 5, p. 82, 1959 on Adiantum subcordatum. Brazil.

Uromyces desmodiicola Jørstad in Ark. Bot., Ser. 2, 4, 5, p. 75, 1959 on Desmodium albiflorum.—Brazil.

kaimontanus Hiratsuka f. & Sato in Trans. mycol. Soc. Japan, 10, p. 1, 1959 on Veratrum grandiflorum.—Japan.

Ustilago oplismeni Viennot-Bourgin in Bull. Soc. mycol. Fr., 75, p. 34, 1959 on flowers of

Oplismenus humboltianus.-Guinea.

UTHAROMYCES Boedijn in Sydowia, 12 (1958), p. 340, 1959.—Mucorales. Sp. typ.: U. epallocaulus.

- epallocaulus Boedijn in Sydowia, 12 (1958), p. 342, 1959 on dung of herbivores and rat.-

Java.

Verticillium vile (Karst.) Hughes in Canad. J. Bot., 36, p. 823, 1958. (Syn. Sporotrichum

vile Karst.).

Vestergrenia globosa Hino & Katumoto in Bull. Fac. Agric. Yamaguti Univ., 9, p. 892, 1958 on dead culms of Sinobambusa tootsik.-Japan.

Virgariella fuscopurpurea (Berk. & Curt.) Hughes in Canad. J. Bot., 36, p. 824, 1958. (Syn. Virgaria fuscopurpurea Berk. & Curt.).

Wettsteinina macrotheca (Rostr.) E. Müller in Sydowia, 12 (1958), p. 203, 1959. (Syn. Metasphaeria macrotheca Rostr.).

Xenomeris hemisphaerica E. Müller in Sydowia, 12 (1958), p. 220, 1959 on leaves of

Juniperus phoenicea.—Maritime Alps, France.

Xylobolus ahmadii (Boidin) Boidin [as 'ahmadi'] in Rev. Mycol., Paris, N.S., 23, p. 341, 1958. (Syn. Stereum ahmadi [sic] Boidin).

annosus (Berk. & Br.) Boidin in Rev.
 Mycol., Paris, N.S., 23, p. 341, 1958. (Syn.

Stereum annosum Berk. & Br.).

— frustulatus (Pers. ex Fr.) Boidin in Rev.
Mycol., Paris, N.S., 23, p. 341, 1958. (Syn. Thelephora frustulata Pers. ex Fr. \equiv Stereum frustulosum (Pers. ex Fr.) Fr. = Xylobus frustulosus (Pers. ex Fr.) Karst.).

- illudens (Berk.) Boidin in Rev. Mycol., Paris, N.S., 23, p. 341, 1958. (Syn. Stereum

illudens Berk.).

-princeps (Jungh.) Boidin in Rev. Mycol., Paris, N.S., 23, p. 341, 1958. (Syn. Thelephora princeps Jungh.).

- spectabilis (Klotzsch) Boidin in Rev. Mycol., Paris, N.S., 23, p. 341, 1958. (Syn. Stereum spectabile Klotzsch).

- subpileatus (Berk. & Curt.) Boidin in Rev. Mycol., Paris, N.S., 23, p. 341, 1958. (Syn. Stereum subpileatum Berk. & Curt.).

Xylohypha curta (Corda) Hughes in Canad. J. Bot., 36, p. 824, 1958. (Syn. Torula curta Corda).

ferruginosa (Corda) Hughes in Canad. J. Bot., 36, p. 824, 1958. (Syn. Torula ferru-

ginosa Corda).

Xylosphaera aburiensis Dennis in Rev. Biol., Lisboa, 1, 3-4, p. 188, 1958 on dead stems.-Ghana.

- agariciformis (Cooke & Massee) Dennis in Rev. Biol., Lisboa, 1, 3-4, p. 207, 1958. (Syn. Xylaria agariciformis Cooke & Massee).

- axillaris (Welw. & Curr.) Dennis in Rev. Biol., Lisboa, 1, 3-4, p. 191, 1958. (Syn. Xylaria axillaris Welw. & Curr.).

- doumetii (Pat.) Dennis in Rev. Biol., Lisboa, 1, 3-4, p. 205, 1958. (Syn. Poronia doumetii

Pat.).

ehrenbergii (P. Henn.) Dennis in Rev. Biol., Lisboa, 1, 3-4, p. 207, 1958. (Syn. Poronia ehrenbergii P. Henn.).

- fastigiata (Fr.) Dennis in Rev. Biol., Lisboa, 1, 3-4, p. 193, 1958. (Syn. Xylaria fastigiata Fr.).

maitlandii Dennis in Rev. Biol., Lisboa, 1, 3-4, p. 181, 1958 on fallen petioles.—Uganda.

- var. nuda Dennis in Rev. Biol., Lisboa, 1, 3-4, p. 183, 1958 on fallen petioles.— Uganda.

- mellisii (Berk.) Dennis var. nuda Dennis in Rev. Biol., Lisboa, 1, 3-4, p. 188, 1958 on fallen branches.-Uganda.

- thyrsus (Berk.) Dennis in Rev. Biol., Lisboa, 1, 3-4, p. 179, 1958. (Syn. Sphaeria thyrsus Berk.).

- trichopoda (Penz. & Sacc.) Dennis in Rev. Biol., Lisboa, 1, 3-4, p. 184, 1958. (Syn. Xylaria trichopoda Penz. & Sacc.).

*Zygorhizidium parallelosede Canter, 1954 (this Index, 2, p. 177), was published without Latin diagnosis.

Zygosporium gibbum (Sacc., Rouss. & Bomm.) Hughes in Canad. J. Bot., 36, p. 825, 1958. (Syn. Clasterosporium gibbum Sacc., Rouss. & Bomm.).

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, and Pteridophyta see under those names; for animal hosts see under Insecta and Invertebrata.

ACANTHACEAE

Asteridiella poracensis

ACERACEAE

Acer

Clavariopsis brachycladia Phragmostilbe linderi

Acer assyriacum

Uncinula paradoxa

Acer pseudoplatanus Coniothyrium ferrarisianum ALGAE

Eudorina elegans Rhizophydium contractophilum

AMARANTHACEAE

Alternanthera achyranthea Phyllosticta alternantherae

Alternanthera purpurea Phyllosticta alternantherae

ANACARDIACEAE

Semecarpus? philippinensis Meliola abraensis

ARALIACEAE

Hedera nepalensis Sphaerulina hederae

BETULACEAE

Alnus firma

Articulospora angulata

BIGNONIACEAE

Newbouldia laevis

Helminthosporium newbouldiae

BORAGINACEAE

Ehretia aspera

Cercospora poonensis

Mycosphaerella poonensis

Mertensia virginica

Ascochyta madisonensis

BRYOPHYTA

Hypnum cupressiforme

Phialea epibrya var. subclaviformis

Polytrichum attenuatum $ec{L}$ eptothyrium muscorum

Polytrichum formosum

Niptera polytrichina

BUXACEAE

Sarcococca saligna

Didymosphaeria sarcococcae

CAMPANULACEAE

Phyteuma argutum

Melasmia phyteumatis

Sphenoclea zeylanica Cercospora sphenocleae

CAPRIFOLIACEAE

Lonicera implexa

Glonium chambianum

Tryblidium tunetanum

Lonicera involucrata

Kabatia lonicerae var. involucratae

Lonicera nigra

Guignardia mirabilis Laetinaevia setosa

Lonicera oblongifolia

Kabatia mirabilis var. oblongifoliae

Lonicera quinquelocularis Didymosphaeria indica

Guignardia himalayensis $Plagiosphaera\ bhargavai$

CARYOPHYLLACEAE

Arenaria ciliata

Uredo arenariae-ciliatae

Lychnis coronaria

Cercospora lychnidis

CASUARINACEAE

Casuarina

Steccherinum fistulatum

CELASTRACEAE

Celastrus paniculatus

Asterina tarlacensis

COMBRETACEAE

Anogeissus acuminata

Cercospora acuminata

COMPOSITAE Tryblidaria californica

Achillea atrata

Peronospora achilleae

Artemisia

Phoma diedickei

Artemisia campestris

Diplodina artemisiae-campestris

Artemisia dracunculus Diplodina dracunculi

Artemisia nilgirica

Mycosphaerella artemisiae

Septoria nilgiriensis

COMPOSITAE (continued)

Artemisia vulgaris

Phomopsis artemisiae

Aster shortii

Sphaeropsis astericola

Baccharis

Puccinia elata

Puccinia separabilis

Puccinia subtropica

Baccharis lilloi

Puccinia lilloana

Baccharis myrtilloides Puccinia catamarcensis

Baccharis petiolata

Puccinia baccharidis-petiolatae

Baccharis polifolia

Puccinia baccharidis-polifoliae

Baccharis pseudotridentata

Puccinia saltensis Baccharis serrulata

Puccinia serrulatae

Caesulia axillaris

Septoria caesuliae

Centaurea algeriensis

Puccinia bouinanensis Centaurea sphaerocephala

Coniothyrium olivaceum forma centaureae

Diplodina centaureae

Crepis aurea

Ûredo breventiaca

Dimorphotheca aurantiaca

Bremia lactucae forma dimorphothecae-

aurantiacae

Peronospora dimorphothecae

Dimorphotheca pluvialis

Bremia lactucae forma dimorphothecaepluvialis

Erechtites hieracifolia

Ramularia wisconsina

Erigeron khorassanicus

Erysiphe cichoracearum forma erigerontis

Hieracium longipilum

Ramularia parva

Olearia colorata

Plokamidomyces colensoi

Trichopeltheca asiatica

Parthenium integrifolium

Septoria inclusa

Polycalymma stuartii

Bremia lactucae forma polycalymmatis-

stuartii

Serratula nudicaulis

Puccinia sanctae-balmae

Tagetes erecta

Septoria tageticola

Ursinia anthemoides

Peronospora buhrii

Ursinia calenduliflora Peronospora ursiniae

Ursinia pulchra

Peronospora ursiniae

Ursinia speciosa

Peronospora buhrii

Vernonia pycnantha

Puccinia longa

Xanthium strumarium Phomopsis xanthii

CONIFERAE

Abies alba

Acrotheca campiniae

Acrothecium globosum Diplococcium mirabile

Sporidesmium campiniae Sporidesmium elegans

CONIFERAE (continued) Abies lasiocarpa Ceratocystis brunnea Ceratocystis nigra

Agathis australis Odontia oblongispora

Cephalotaxus Otthia taxi

Juniperus phoenicea Chaetoscutula juniperi Pododimeria gallica

Xenomeris hemisphaerica

Picea engelmannii Ceratocystis perfecta Ceratocystis tenella Ceratocystis vesca Picea morinda

Fomes annosus var. indicus Picea sitchensis Cistella parksii

Pinus

Helicoma macrocephala Pinus sylvestris Gliomastix guttuliformis Helicoma monospora Sympodiella acicola Tsuga heterophylla

Melampsora epitea forma specialis tsugae

Tsuga mertensiana Melampsora epitea forma specialis tsugae CONNARACEAE

Rourea erecta Asterostomella roureae

CORNACEAE Aucuba

Diplodia mutila var. major

Cornus brachypoda Monochaetia cornicola CRASSULACEAE

Sedum eversii Microsphaera umbilici forma sedi Sedum roseum

Trichodiscus sedi

CRUCIFERAE Crambe tatarica

Cercospora moldavica Draba majuscula

Peronospora drabae-majusculae

Nasturtium officinale × N. microphyllum Spongospora subterranea forma specialis nasturtii

CUNONIACEAE Weinmannia racemosa Odontia tessellata

CYCADACEAE

Macrozamia spiralis Pestalotia macrozamiae CYPERACEAE

Carex elata Puccinia urticae-elatae

Carex flacca

Puccinia urticae-flaccae Carex fusca

Puccinia urticae-elatae Carex gracilis

Puccinia ribesii-pendulae Puccinia urticae-elatae

Carex pendula Puccinia ribesii-pendulae Carex riparia

Puccinia urticae-ripariae

Carex umbrosa Puccinia urticae-umbrosae Cyperus longus

Puccinia lagunensis

DATISCACEAE

Tetrameles nudiflora Cercospora mandira

DILLENIACEAE

Saurauia elegans Meliola notabilis

DIOSCOREACEAE

Dioscorea

Meliola zambalesica

DIPTEROCARPACEAE

Pentacme contorta Morenoella pentacmes

ELAEAGNACEAE Elaeagnus

Rhizopodopsis javensis

ERICACEAE

Arctostaphylos uva-ursi Eupropolella arctostaphyli Pyrenopeziza arctostaphyli

EUPHORBIACEAE

Alchornea sicca Asterostomella alchorneae Antidesma pentandrum

Asterina antidesmatis

Bridelia ferruginea Phakopsora candelabriae Euphorbia hypericifolia

Peronospora hypericifoliae Phyllanthus discoideus Cercospora entebbeensis Cercospora leonensis

Cercospora newtonensis Phyllanthus maderaspatensis Cercospora tarrii

FAGACEAE

Castanea

Dimorphospora foliicola Castanopsis sempervirens Dasyscypha echinophila

Fagus

Helicoma macrocephala

Fagus sylvatica Acrotheca humilis Ceratosporella goidanichii Chaetopsis canovae

Lithocarpus densiflora Mollisia lithocarpi Lithocarpus edulis

Menispora minuta Nothofagus menziesii Odontia nothofagi

Odontia vesiculosa Quercus

 $Propolidium\ shearii$

Quercus alba

Apioporthe macrospora Quercus chrysolepis

Colpoma californicum Quercus ilex

Peniophora meridionalis

Quercus laurifolia Allosoma quercifoliae

Quercus virens Myriangiomyces quercifoliae

Shiia sieboldii Candelabrum japonense

Dactylella microaquatica

FUNGI

Agaricaceae Phycomyces agaricicola

Cocconia spurcaria

Didymosphaeria cocconiae Collybia radicata Pichia megalospora

Fungi (continued)
Elsinoe wisconsinensis
Cladosporium elsinoes
Lasiodiplodia theobromae
Hansfordia alba
Pilobolus kleinii
Syncephalis truncata
Puccinia saccardoi

Phyllosticta aecidiorum

GARRYACEAE
Garrya elliptica
Phaeociboria garryae
GINKGOACEAE
Ginkgo biloba

Diplodina ginkgonis Gramineae

Amphisphaeria chambii Torulopsis ingeniosa Agropyron repens

Apiocarpella agropyri Ammophila arenaria Mollisina ammophilae

Andropogon gerardii
Phyllosticta andropogonivora

Bambusa
Chaetosphaeria hinoi
Bouteloua curtipendula
Cercosporella boutelouae
Stagonospora subchlorinoflavida
Brachypodium ramosum
Amphisphaeria bou-korninei

Hendersonia tunetana Cutandia divaricata Puccinia cutandiae Cynodon dactylon

Cylindrosporium campicola

Ehrharta calycina Tilletia ehrhartae Koeleria villosa

Coniothyrium koeleriae

Leleba simplex
Leptosphaeria lelebae
Lygeum spartum

Botryodiplodia lygei-sparti Melinis tenuissima

Physopella melinidis
Olyra

Puccinia obliquoseptata
Oplismenus compositus
Plasmopara oplismeni
Oplismenus humboltianu

Oplismenus humboltianus Ustilago oplismeni

Oryza sativa Koorchalomella oryzae

Phragmites communis
Robillarda phragmitis
Phyllostachys bambusoides

Enythostachys bambusoides Gnomonia hsienjenchang Sphaerulina phyllostachydis Phyllostachys bambusoides var. marliacea

Schizostoma muroianum

Phyllostachys nigra var. henonis Cryptosporella bambusicola

Pleioblastus hindsii
Chaetopatella coronata
Pleioblastus hodensis

Phragmothyrium muroianum

Pleioblastus nezasa Sporidesmium globuligerum Pleioblastus simoni

Telimena haraeana
Pseudosasa japonica
Phomatospora punctulata
Polystigma uniloculare

GRAMINEAE (continued)
Saccharum officinarum
Hyalostachybotrys sacchari
Saccharum robustum
Deightoniella papuana

Acrotheca cerophila Sasa borealis var. purpurascens

Meliola pseudosasae Sasa kurilensis

Chaetopatella longiciliata Colletotrichum sasicola Hypoxylon nigropustulatum Parodiopsis gregaria

Sasa nebulosa

Erinella hyalopilosa

Sasa nipponica
Phaeodothis muroiana

Rosellinia muroiana Sasa paniculata

Sasa paniculata
Didymella yezoensis
Nectria exigua
Sasa tyugokensis

Massarinula gloeospora Sasa uinuizoana

Phaeodothis muroiana Sinobambusa tootsik Hypocrea muroiana Phoma sinobambusa Vesterarenia alohoos

Phoma sinobambusae Vestergrenia globosa Stipa tenacissima Didumosphaeria stipa

Didymosphaeria stipae Rebentischia brevicaudata Trachys muricata

Piricularia oryzae var. trachydis Tridens flavus Rhynchosporina tridentis Stagonospora tridentis

HAMAMELIDACEAE Sycopsis philippinensis Asterostomula sycopsidis

HIPPOCRATEACEAE

Salacia
Asterina rizalica

HYPERICACEAE
Harungana madagascariensis
Uredo harunganae

Psorospermum Uredo psorospermi

INSECTA Coleoptera

Ceratocystis tenella Ceratocystis vesca Cordyceps petchii Ips pilifrons

Ceratocystis perfecta
Microlepidoptera?

Sporodiniella umbellata Orthoptera

Cordyceps parvula Cordyceps subflavida Cordyceps trinidadensis

Invertebrata (other than Insecta) Emerita talpoida

Enterobryus halophilus

JUGLANDACEAE

Carya olivaeformis
Phyllosticta caryae

Juglans
Lemonniera terrestris

Juglans regia
Diplodia mutila var. major

LABIATAE

Pogostemon velatus

Asterina pogostemonis

Salvia leucophylla

Propolidium californicum

Ziziphora clinopodioides

Erysiphe labiatarum forma ziziphorae

LAURACEAE

Actinodaphne hookeri

Microcyclus indicus

Beilschmiedia tawa

Odontia fragilis

Odontia novae-zealandiae

Odontia oleifera

Odontia verruculosa

Nectandra coriacea

Marasmius rufomarginatus

Morenoella vitalii

Umbellularia californica

Phialea umbellulariae

LEGUMINOSAE

Acacia

Microdiplodia acaciarum

Acacia mollissima

Platygloea opalina

Angylocalyx oligophyllus

Hapalophragmium angylocalycis

Astragalus siversianus

Helminthosporium astragali

Bauhinia divaricata

Uredo haitiensis

? Calvcotome spinosa

Cucurbitaria tunetana

Dalbergia saxatilis Sphaerophragmium guineense

Dalbergiella welwitschii

Sphenospora dalbergiellae

Desmodium albiflorum Uromyces desmodiicola

Inga

Marasmius oaxacanus

Lathyrus latifolius

Ramularia deusta forma latifolii

Lathyrus odoratus

Ramularia deusta forma odorati

Retama sphaerocarpa

Coniothyrium retamae

Spartium junceum

Didymosphaeria casalii

Tephrosia virginiana

Cercosporella tephrosiae

Vicia villosa

Botrytis viciae

LILIACEAE

Asphodelus albus

Didymella asphodeli

Bulbinella setosa

Thecaphora bulbinellae

Colchicum autumnale Uredo colchici-autumnalis

Eremurus altaicus

Phoma eremuri

Smilacina racemosa Cylindrosporium vagnerae

Smilax Melanconis smilacis

Veratrum grandiflorum

Uromyces kaimontanus

LINACEAE

Linum alpinum

Pyrenopeziza linicola

LOGANIACEAE

Buddleia asiatica

Meliola pampangensis

MALVACEAE

Urena lobata

Aecidium urenae

MELIACEAE

Dysoxylum spectabile

Odontia lutea

MENISPERMACEAE

Asterina menispermacearum

MORACEAE

Cecropia palmata

Marasmius haematocephalus var. oenechinus

Ficus nipponica

Stigmatodothis fici-nipponicae

Ficus religiosa

Uncinula religiosa

Diplodia mutila var. major

MUSACEAE

Musa sapientum

Belonidium sclerogenum var. musicola

Chlorociboria musae

MYRICACEAE

Myrica californica

Stictis myricae

MYRSINACEAE Maesa indica

Phyllachora ectophytica

MYRTACEAE

Eugenia

Lembosia pampangensis

Leptospermum ericoides

Odontia subscopinella

Leptospermum scoparium Odontia columellifera

OLEACEAE

Fraxinus excelsior

Bactrodesmium arnaudii

Ligustrum obtusifolium

Microsphaera ligustri

Diplodia mutila var. major

Syringa

Diplodia mutila var. major

PALMAE

Arthrobotrys stilbacea

Cocos nucifera

Diplorhinotrichum ampulliforme

PANDANACEAE

Freycinetia banksii

Odontia flexibilis

PEDALIACEAE

Sesamum indicum

Cercospora sesamicola

PIPERACEAE

Macropiper excelsum

Odontia stratosa

POLYGALACEAE

Bredemeyera Morenoella killianii

POTAMOGETONACEAE

Ruppia maritima

Melanotaenium ruppiae

PTERIDOPHYTA

Helotium singeri Adiantum subcordatum

Uredo viegasii

Dicksonia

Dasyscyphus singerianus Equisetum fluviatile

Polycladium equiseti Equisetum sylvaticum var. multiramosum

Heterosporium equiseti

PTERIDOPHYTA (continued)

Eupteris aquilina $\hat{L}eptopelt \hat{i}s~indica$

Polystichum munitum Helotium polystichi

PYROLACEAE

Pyrola bracteata

Lophodermium pyrolae

Pyrola secunda Strasseria nigra

RANUNCULACEAE

Ranunculus cymbalaria Puccinia riobambensis

Ranunculus septentrionalis Phyllosticta tenebrosa

ROSACEAE

Cydonia vulgaris

Cercoseptoria cydoniae

Diplodia mutila var. major

Eriobotrya japonica Speiropsis pedatospora

Malus pumila

Microdiplodia huszii

Photinia

Diplodia mutila var. major

Physocarpus capitatus $ec{H}aematomyxa$ tetraspora

Polylepis incana

Chrysogloeum peruvianum Singeriella peruviana

Poterium polygamum

Phragmidium sanguisorbae subsp. mediterraneum

Prunus serotina

Colletotrichum prunicola

Pyrus communis

Diplodia mutila var. major

Pyrus malus

Diplodia mutila var. major

Diplodia mutila var. major

Rosa heliophila

Amphichaeta rosicola

Rubus

Cenangiopsis rubicola

Rubus loganobaccus

 $Rhizoctonia\ rubi$

Rubus parviflorus

Rhizoctonia rubi

Sieversia montana

Phacidium sieversiae

Sorbus lanata

Entosordaria spiralis

RUBIACEAE

Coffea travancorensis

Aecidium travancoricum

Coprosma australis

Steccherinum resupinatum

Crucianella angustifolia

Peronospora crucianellae

Crucianella maritima

Puccinia maritima

Galium boreale

Puccinia nevodovskii

Knoxia corymbosa

Meliola knoxiae

Lasianthus microphyllus Meliola lasianthi

Manettia

Maravalia manettiae

Plectronia monstrosa

Asteridiella tarlacensis Sarcocephalus esculentus

Cercospora sarcocephali

RUTACEAE

Aegle marmelos

Čercospora aeglicola

Melicope triphylla Meliola melicopes

SABIACEAE

Meliosma.

Asterinella clemensiae Meliola meliosmae

SALICACEAE

Populus

Diplodia mutila var. major

Septogloeum johannesii Populus tremuloides

Ĉeratocystis brevicollis

Salix

Diplodia mutila var. major

Salix scouleriana forma poikila

Melampsora epitea forma specialis tsugae

Salix sitchensis

Melampsora epitea forma specialis tsugae

SAPINDACEAE

Elattostachys

Meliola elattostachydis

SAPOTACEAE

Achras sapota Septoria batistae

SAXIFRAGACEAE

Astilbe philippinensis

Asteridiella astilbincola

Carpodetus serratus

Odontia capitata

Deutzia staminea

Nodulosphaeria deutziae

Ribes alpinum

Drepanopeziza variabilis

Puccinia ribesii-pendulae

Ribes andicola

Aecidium andicola Ribes aureum

Puccinia ribesii-pendulae

Ribes malvaceum

Diplodia mutila var. major

Ribes petraeum

Arnaudiella ribis

Ribes rubrum

Puccinia ribesii-pendulae

SYMPLOCACEAE

Dicalyx lucida

Physalospora dicalycis

Dicalyx myrtacea

Aulographum symplocacearum

THYMELAEACEAE

Wikstroemia meyeniana

Asteridiella wickstroemiae

TILIACEAE

Desplatzia dewevrei

Cylindrocarpon congoense

Grewia multiflora

Asterostomella grewiae

Triumfetta

Aecidium seguelae

UMBELLIFERAE

Aulacospermum simplex

Puccinia aulacospermi

Bupleurum aureum

Ērysiphe umbelliferarum forma bupleuri

Oreomyrrhis ciliata

Puccinia pryorii Oxypolis rigidior

 $Neottiospora\ umbelliferarum$

URTICACEAE Urtica dioica Puccinia urticae-elatae Puccinia urticae-flaccae Puccinia urticae-ripariae Puccinia urticae-umbrosae Urtica lyallii Mollisia urticae

Pezizellaster herbarum

Valeriana sitchensis Synchytrium perforatum Valerianella congesta Synchytrium perforatum Valerianella stenocarpa Synchytrium perforatum

VERBENACEAE
Clerodendron buchholzii
Uredo clerodendrina
Gmelina arborea
Cercospora ranjita
Premna bengalensis
Phyllostictina pratima
Symphorema luzonicum
Meliola symphorematis
VITACEAE
Tetrastigma harmandii
Asteridiella tetrastigmatis

ZINGIBERACEAE
Costus speciosus
Helicomina costi
Elettaria cardamomum
Phyllosticta elettariae

PRINTED IN GREAT BRITAIN
AT THE UNIVERSITY PRESS, OXFORD
BY VIVIAN RIDLER
PRINTER TO THE UNIVERSITY



